


PRODUCT DETAILS:

Max Height Filled - 4.5m
Max Height Empty - 5.2m
Max Diameter Filled - 2.4m
Product Weight - 75kg Approx

10t Air Lift Bag Component List			
Item Number	Component Title	Component Description	QTY Per Unit
1	Canopy	Heavy Duty PVC coated Polyester Base Cloth	1
2	Masterlink Assembly	Masterlink Assembly	1
3	Shackles	Galvanised Green Screw Pin Shackles	2
4	Main Strops	Duplex Polyester Sling Webbing fitted in a basket configuration	5
5	Inflation Port	$\frac{3}{4}$ " Skin Fitting with quarter turn Ball Valve, terminating in a $\frac{3}{4}$ " Camlock	1
6	Dump Valve	2" Bottom Operated Dump valve	1
7	Dump Valve Lanyard	3mm Cord complete with Tinsley Ring	1
8	Inverter Point	Round Sling for Inverter Line Attachment	1
9	Lifting point	Webbing Patch for Lifting of Bag	1
10	Handling Point	Rope Handles for Manual Handling	8
11	De-Tangler	Unique De-Tangler verifies Rigging in Zero Visibility	1



The Intellectual Property of this drawing belongs wholly to Unique Seaflex Ltd, and may not be copied or republished without permission. Contents are accurate at time of issue, but may be subject to change without notice

 Unique SEAFLEX A Unique Maritime Group Company	
SEAVIEW ROAD COWES ISLE OF WIGHT ENGLAND PO31 7US TEL: +44 1983 290 525 www.uniquegroup.com	
DRAWING TITLE 10t Air Lift Bag Specification Sheet	SCALE N.T.S @ A3
PROJECT NUMBER Air Lift Bag (ALB)	DRAWN GJP
DRAWING No. 10t - ALB - SS	REVISION 01

Certificate of Type Test

Issued by : NEL

Certificate No. : 0041

Date of Issue: 26 October 2000



NEL
East Kilbride, Glasgow
G75 0QF, United Kingdom
Tel No. +44 (0)1355 220222
Fax No. +44 (0)1355 272999

Page 1 of 2

Approved Signatories
L Hunter, D Hare

Customer Seaflex Ltd.

Customer Address Samuel Whites, Cowes, Isle of Wight, PO31 7RA.

Order No **Project No.** WAW011000

NEL Test Mark MQFY - 4 **Certificate No.** 0041

Specimen received date 25 October 2000 **Date of Test** 26 October 2000

Date of next test N/A

Specimen Description Seaflex Ltd 10 Tonne Open Bottom Air Lift Bag.

Identification Mark

Type of Test Type test in accordance with Health & Safety Executive Notice 3/88 & Guidance No. IMCA D016.

Test Machine Used D1

Peak load achieved on snatch test 65.0 Tonnes

Test Result Pass

Comments Full Dimensional Specifications Recorded and Retained by N.E.L.

Distribution

Seaflex Ltd.	1 copy
NEL	1 copy

Tested by D. Hare

This certificate is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

PPE/Testcert_Issue 1.0

NEL is a trading name of TUV NEL Ltd. registered in Scotland at East Kilbride, Glasgow G75 0QU. Registered Number SC215164



CERTIFICATE NUMBER

12-LD890111-PDA

DATE

22 August 2012

ABS TECHNICAL OFFICE

London Engineering Department

CERTIFICATE OF DESIGN ASSESSMENT

This is to Certify that a representative of this Bureau did, at the request of
SEAFLEX LTD.

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

PRODUCT: **Air Lift Bag**

MODEL: **25kg ALB, 50kg ALB, 100kg ALB, 250kg ALB, 500kg ALB, 1t ALB, 2t ALB, 3t ALB, 5t ALB, 10t ALB, 20t ALB and 35t ALB**


This Product Design Assessment (PDA) Certificate 12-LD890111-PDA, dated 22/Aug/2012 remains valid until 21/Aug/2017 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

AMERICAN BUREAU OF SHIPPING


John L. Morgan
Engineer

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standard. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the abovementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by the terms and conditions as contained in ABS Rules 1-1-A33.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

A02580110