

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

1 Identification

- **Product identifier**
- **Trade name:** **NIK Test V**
- **Product code:** 800-6093 (1213857)
- **Recommended use and restriction on use**
- **Recommended use:** Forensics.
- **Restrictions on use:** Contact manufacturer/supplier
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
Safariland, LLC
13386 International Parkway
Jacksonville, FL 32218
Customer Care (800) 347-1200
- **Emergency telephone number:**
ChemTel Inc.
(800)255-3924 (North America)
+1 (813)248-0585 (International)



2 Hazard(s) identification

- **Classification of the substance or mixture**
Met. Corr.1 H290 May be corrosive to metals.
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.
- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard statements:**
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
- **Precautionary statements:**
P234 Keep only in original container.
P261 Avoid breathing mist, vapors, or spray.
P264 Wash thoroughly after handling.
P280 Wear protective gloves and eye protection.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 1)

P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Components:**

7664-93-9	Sulfuric acid Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	>80%
13106-76-8	ammonium molybdate(VI) Acute Tox. 4, H302	2.5-5%

· **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· **After eye contact:**

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· **Most important symptoms and effects, both acute and delayed:**

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

· **Danger:**

Danger of gastric perforation.

Causes serious eye damage.

· **Indication of any immediate medical attention and special treatment needed:**

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information:** No relevant information available.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
Ensure adequate ventilation.
- **Environmental precautions**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Methods and material for containment and cleaning up**
Use limestone to neutralize and/or absorb spill.
Dispose contaminated material as waste according to item 13.
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Prevent formation of aerosols.
Avoid splashes or spray in enclosed areas.
Use only in well ventilated areas.
Heating occurs when water is added.
When diluting, always stir the product into standing water, not water to product.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Unsuitable material for receptacle: aluminium.
Unsuitable material for receptacle: steel.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 3)

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

· **Further information about storage conditions:** Keep containers tightly sealed.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7664-93-9 Sulfuric acid

PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³
LMPE (Mexico)	Long-term value: 0.2* mg/m ³ A2; *fracción torácica

13106-76-8 ammonium molybdate(VI)

PEL (USA)	Long-term value: 5 mg/m ³ as Mo
TLV (USA)	Long-term value: 0.5 mg/m ³ as Mo; respirable fraction
EL (Canada)	Long-term value: 0.5 mg/m ³ as Mo; respirable
LMPE (Mexico)	Long-term value: 0.5 mg/m ³ Fracción respirable; A3; como Mo

· **Exposure controls**

· **Engineering measures** Provide adequate ventilation.

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Engineering controls:** No relevant information available.

· **Breathing equipment:**

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

· **Protection of hands:**

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 4)



Protective gloves

- **Eye protection:**
Contact lenses should not be worn.



Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Appearance:

- | | |
|--------------------------|-----------------|
| · Form: | Liquid |
| · Color: | Colorless |
| · Odor: | Odorless |
| · Odor threshold: | Not determined. |

- | | |
|---------------------------------------|-----------------|
| · pH-value at 20 °C (68 °F): | <2.0 |
| · Melting point/Melting range: | Not determined. |
| · Boiling point/Boiling range: | 295 °C (563 °F) |

- | | |
|-----------------------|-----------------|
| · Flash point: | Not applicable. |
|-----------------------|-----------------|

- | | |
|---|-----------------|
| · Flammability (solid, gaseous): | Not applicable. |
|---|-----------------|

- | | |
|-------------------------------------|-----------------|
| · Auto-ignition temperature: | Not determined. |
|-------------------------------------|-----------------|

- | | |
|-------------------------------------|-----------------|
| · Decomposition temperature: | Not determined. |
|-------------------------------------|-----------------|

- | | |
|-------------------------------|---|
| · Danger of explosion: | Product does not present an explosion hazard. |
|-------------------------------|---|

· Explosion limits

- | | |
|--------------------------------|-----------------|
| · Lower: | Not determined. |
| · Upper: | Not determined. |
| · Oxidizing properties: | Not determined. |

- | | |
|--------------------------|-----------------|
| · Vapor pressure: | Not determined. |
|--------------------------|-----------------|

- | | |
|----------------------------|-----------------|
| · Density: | Not determined. |
| · Relative density: | Not determined. |
| · Vapor density: | Not determined. |
| · Evaporation rate: | Not determined. |

· Solubility in / Miscibility with

- | | |
|-----------------|---|
| · Water: | Fully miscible.
Reacts violently with water. |
|-----------------|---|

- | | |
|---|-----------------|
| · Partition coefficient (n-octanol/water): | Not determined. |
|---|-----------------|

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 5)

- **Viscosity**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Other information** No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Heating occurs when water is added.
Reacts with alkali (lyes).
Corrosive action on metals.
Toxic fumes may be released if heated above the decomposition point.
Reacts with amines.
Reacts with halogenated compounds.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials**
Alkalis
Oxidizing agents
- **Hazardous decomposition products** Sulfur oxides (SO_x)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Strong caustic effect on skin and mucous membranes.
- **On the eye:** Strong caustic effect.
- **Sensitization:** Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

7664-93-9 | Sulfuric acid

K

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.
Inhalation.
Eye contact.
Skin contact.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 6)

- **Acute effects (acute toxicity, irritation and corrosivity):** Causes severe skin burns and eye damage.
- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---------------------------------------|---------------|
| · UN-Number | |
| · DOT, ADR/RID/ADN, IMDG, IATA | UN1830 |
| · UN proper shipping name | |
| · DOT, IATA | Sulfuric acid |

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 7)

· ADR/RID/ADN 1830 SULPHURIC ACID
· IMDG SULPHURIC ACID

· Transport hazard class(es)

· DOT



· Class 8
· Label 8

· ADR/RID/ADN



· Class 8 (C1)
· Label 8

· IMDG, IATA



· Class 8
· Label 8

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA II

· Environmental hazards

Not applicable.

· Special precautions for user

Warning: Corrosive substances

· Danger code (Kemler):

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 8)

7664-93-9	Sulfuric acid
-----------	---------------

· **Section 313 (Specific toxic chemical listings):**

7664-93-9	Sulfuric acid
-----------	---------------

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

· **Canadian Domestic Substances List (DSL) (Substances not listed.):**

7664-93-9	Sulfuric acid
-----------	---------------

13106-76-8	ammonium molybdate(VI)
------------	------------------------

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· **Sources**

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sorinternet/registry/substreg/home/overview/home.do)

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 29, 2019

Revision: March 29, 2019

Trade name: NIK Test V

(Cont'd. of page 9)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

AMERCON
INTERNATIONAL
EVERYTHING UNDER PRESSURE™