




**Ansell**

**US & CANADA REGIONAL PORTFOLIO OVERVIEW**

# **REUSABLE GAS TIGHT LEVEL A & LEVEL B SUITS**

[www.ansell.com](http://www.ansell.com)

**AlphaTec®**

CONTENTS

|                                              |    |
|----------------------------------------------|----|
| APPROVAL TABLE                               | 3  |
| AnsellGUARDIAN®                              | 4  |
| SUIT SIZE CHART                              | 4  |
| SUIT MRPN GUIDE                              | 5  |
| CHEMICAL PROTECTIVE APPAREL PORTFOLIO:       |    |
| AlphaTec® EVO                                | 6  |
| AlphaTec® FLASH                              | 8  |
| AlphaTec® SUPER                              | 10 |
| AlphaTec® LIGHT                              | 11 |
| AlphaTec® SUPER FREEFLOW                     | 12 |
| AlphaTec® BSL4                               | 13 |
| AlphaTec® LIGHT FREEFLOW                     | 14 |
| AlphaTec® TRAINER                            | 15 |
| ACCESSORIES AND SPARES                       | 16 |
| FULL LIST OF SUIT & ACCESSORY MRPNS AND SKUS | 26 |

## APPROVAL TABLE

The AlphaTec® Chemical Protective Clothing (CPC) range has been tested according to European as well as American standards. While Europe lacks an EN standard for protection against warfare agents, the chemical testing requirements of the American standard NFPA 1991 stipulates permeation testing with both industrial chemicals and warfare agents.

The NFPA series of standards has undergone a review and is now available as a “bundle standard”, namely the NFPA 1990 edition 2022 but the individual standards references NFPA 1991, 1992 and 1994 are still being used to designate and differentiate between the ensembles and the levels of protection they provide respectively.

Independently from any product standard or certification, Ansell has also performed extended testing with CWA's (chemical warfare agents) and/or TIC's (toxic industrial chemicals) on EVO, FLASH and/or SUPER.

|                                                              | AlphaTec® Product |       |       |       |                |      |                |         |
|--------------------------------------------------------------|-------------------|-------|-------|-------|----------------|------|----------------|---------|
|                                                              | EVO               | FLASH | SUPER | LIGHT | SUPER FREEFLOW | BSL4 | LIGHT FREEFLOW | TRAINER |
| Approvals                                                    | p6                | p8    | p10   | p11   | p12            | p13  | p14            | p15     |
| NFPA 1991 Base requirements                                  | •                 | •     |       |       |                |      |                |         |
| NFPA 1991 Optional Chemical Flash Fire protection            | •                 | •     |       |       |                |      |                |         |
| NFPA 1991 Optional Liquefied Gas protection                  | •                 | •     |       |       |                |      |                |         |
| EN 943-1                                                     | •                 | •     | •     | •     | •              |      | •              |         |
| EN 943-2                                                     | •                 | •     | •     |       |                |      |                |         |
| EN 1073-1 Radioactive particle protection (air-fed clothing) |                   |       |       |       | •              |      | •              |         |
| EN 1073-2 Radioactive particle protection                    | •                 | •     | •     | •     |                |      |                |         |
| EN 14126 Infective agent/ Biohazard protection               | •                 | •     | •     | •     | •              |      | •              |         |
| ATEX For use in explosive atmospheres                        | •                 | •     | •     |       | •              |      |                |         |
| EN 1149-5 "Antistatic" material                              | •                 | •     | •     | •     | •              |      | •              |         |
| Extended 24hr permeation test                                | •                 |       |       |       |                |      |                |         |
| SOLAS*                                                       | •                 |       | •     | •     |                |      |                |         |
| CWA Tested                                                   | •                 | •     |       |       |                |      |                |         |
| TICs                                                         | •                 | •     | •     |       |                |      |                |         |

\*SOLAS – applies to specific suit types – see product pages for further details

### HOT ZONE

- Contaminated area immediately surrounding a hazmat incident
- Extends far enough to protect personnel outside the zone from adverse effects from hazardous material releases
- Minimize number of personnel in Hot Zone
- Operational times should be monitored
- Permeation breakthrough times should be available
- Presence in the Hot Zone requires appropriate PPE
- Encapsulating suits with individual breathing systems

**Products: AlphaTec® EVO, FLASH, SUPER**

### WARM ZONE

- Provides support to the Hot zone
- Control zone at a hazardous materials incident
- Personnel and equipment decontamination
- Includes control points for the access corridor
- Warm zone requires appropriate PPE

**Products: AlphaTec® LIGHT, SUPER FREEFLOW, LIGHT FREEFLOW**

# AnsellGUARDIAN<sup>®</sup> Chemical

AnsellGUARDIAN<sup>®</sup> Chemical simplifies the glove and suit selection for your unique set of chemicals. Self-service tool to search our extensive chemical permeation and degradation data to identify the appropriate hand and body protection for the chemicals they use.

Search by CAS number or chemical name:  
**ansellguardianpartner.com**



## How does it work:



➤ For more information, visit [ansell.com/services](https://ansell.com/services)

## SIZE CHART GUIDE (ALL SUITS)

| Suit Size | Wearer's Measurements |              | Sock Size | Boot Size |                     | Glove Size                                                    |                                 |                                               |
|-----------|-----------------------|--------------|-----------|-----------|---------------------|---------------------------------------------------------------|---------------------------------|-----------------------------------------------|
|           | Height (Ft)           | Weight (Lbs) |           | PVC Boot  | Nitrile Rubber Boot | AlphaTec <sup>®</sup><br>38-628<br>(Viton <sup>™</sup> Butyl) | AlphaTec <sup>®</sup><br>02-100 | AlphaTec <sup>®</sup><br>08-354<br>(Neoprene) |
| S         | 5'7" - 6'0"           | 121-165      | 7.5       | 8         | 7.5                 | 10                                                            | 10                              | 9                                             |
| M         | 5'9" - 6'2"           | 143-187      | 9.5       | 10        | 9.5                 | 10.5                                                          | 10                              | 9                                             |
| L         | 6'0" - 6'4"           | 165-209      | 11        | 12        | 11                  | 10.5                                                          | 11                              | 10                                            |
| XL        | 6'2" - 6'7"           | 187-231      | 11.5      | 13        | 12                  | 11                                                            | 11                              | 10                                            |
| 2XL       | 6'7" - 6'11"          | 209-253      | 13.5      | 14        | 13.5                | 11                                                            | 11                              | 10                                            |
| 3XL       | 6'11" - 7'4"          | 231-276      | 14.5      | 14        | 13.5                | 11                                                            | 11                              | 10                                            |

Sock/Boot sizes according to US standard. Glove sizes according to EU standard. Glove and boot sizes are fixed by suit size

## SUIT MRPN GUIDE

**Example:** AFOV10431200000004 = AlphaTec® 66 FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE L

**KEY** ● Product Model, Certification ● Product Features ● Packaging, size

| A F O V 1                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |  | 0 4 3 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  | 2 0 0 0 0 0 0 0 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|
| <b>Grouping</b><br>A<br><br><b>Material</b><br>E - EVO<br>F - FLASH<br>S - SUPER<br>L - LIGHT<br>T - TRAINER<br><br><b>Color</b><br>R - Red<br>O - Orange<br>Y - Yellow<br>G - Green<br><br><b>Type/Model/Design</b><br>T - T<br>C - CV<br>V - VP1<br>F - FREEFLOW<br><br><b>Certification</b><br>0 - NFPA 1991+EN 943-2+EN 943-1<br>1 - NFPA 1991 (NFPA 1990)<br>2 - EN 943-2+EN 943-1<br>3 - EN 943-1<br>N - Not certified |  |  |  |  | <b>Feet - standard size</b><br>0 - Sock<br>1 - Boot Nitrile<br>2 - Boot PVC<br><br><b>Gloves inner - standard size</b><br>0 - No inner glove<br>1 - Bayonet only<br>2 - Bayonet + Rubber cuff<br>3 - Bayonet + 02-100 AlphaTec® size 10<br>4 - Bayonet + 02-100 AlphaTec® size 11<br><br><b>Gloves outer - standard size</b><br>2 - Viton™/Butyl 38-628 size 10<br>3 - Viton™/Butyl 38-628 size 10,5<br>4 - Viton™/Butyl 38-628 size 11<br>5 - Neoprene 08-354 size 9*<br>6 - Neoprene 08-354 size 10*<br><br><b>Ventilation</b><br>0 - No ventilation, not prepared for ventilation, no air tube guides<br>1 - No ventilation, prepared for ventilation with air tube guides.<br>2 - Ventilation, regulating valve and tubing<br>4 - Freeflow valve |  |  |  | <b>Visor add-on's</b><br>0 - None<br>1 - Tear-off/ATEX lens (F)<br>2 - Tear-off/ATEX lens (P) NFPA<br>3 - Anti-fog lens (F)<br>4 - Visor light (F)<br>5 - Tear-off/ATEX (F) + Anti-fog (F)<br>6 - Tear-off/ATEX (P) + Anti-fog (F) NFPA<br>7 - Anti-fog lens (F) + Visor light (F)<br>8 - Tear-off/ATEX (F) + Visor light (F)<br>9 - Tear-off/ATEX (P) + Visor light (F) NFPA<br>A - Tear-off/ATEX (F) + Anti-fog (F) + Visor light (F)<br>B - Tear-off/ATEX (P) + Anti-fog (F) + Visor light (F) NFPA<br>(P = packed in box / F = factory fitted on suit)<br><br><b>Factory use only</b><br>0 0 0 0 0<br><br><b>Packing</b><br>00 - Standard<br><br><b>Size</b><br>0 - 2XS<br>1 - XS<br>2 - S<br>3 - M<br>4 - L<br>5 - XL<br>6 - 2XL<br>7 - 3XL |  |  |  |  |  |  |  |

Please refer to pages 24-30 for a full list of all MRPN and SKUs for suits and accessories. MRPNs are designed to help Ansell with full visibility to a customer's individual specification. SKUs are designed to work with ERP systems and are what should be used when ordering.

### Gas Tight: Standard accessories packed with the suit:

1 pce Instruction for use (IFU) printed and digital, 1 pce zip care kit, 1 pce lubrication for the Bayonet ring system, 2 pce Bayonet locking pins, 1 pair inner cotton comfort gloves, 1 pce suit hanger, 1 pce black plastic storage bag, 1 pair silicon socks (if suit with sewn-in sock), 1 pce AlphaTec® Mini Hood (if type T suit) and 1 pce black AlphaTec® Storage Bag delivered in cardboard box.

\*AlphaTec® 08-354 is only used with the AlphaTec® LIGHT

**AlphaTec®****EVO**

Previously known as: TRELLCHEM® EVO

**Top of the range reusable HAZMAT suit providing excellent protection against the most aggressive chemicals in gaseous, liquid and solid form, including warfare agents. Fully certified to the NFPA 1991 level of the US standard NFPA 1990 including the optional chemical flash fire and liquefied gas protection requirements.**

#### KEY FEATURES & BENEFITS

- An "all-inclusive" HAZMAT suit
- Outstanding permeation resistance – tested for 24 hours
- Flame-retardant aramid base fabric
- Outstanding permeation times - tested for 24 hours
- Reusable, repairable
- Single skin, no over cover required
- Highly abrasion resistant material
- Proven design fits major SCBA bottles
- AlphaTec® Bayonet ring system for fast, easy glove change
- Available in red (standard) or olive green (MOQ may apply)

#### STANDARDS & CERTIFICATION

- EU PPE Category III
- NFPA 1991 (1990) including optional chemical flash fire and liquefied gas protection
- EN 943-1:2015 + A1:2019 and EN 943-2:2019 Type 1a-ET
- Approved for use in explosive environments, Zones 0,1,2 / 20, 21, 22 and chemical group IIA, IIB, IIC
- Made of anti-static garment material (as defined in EN 1149-5)



TYPE 1a-B



TYPE 1a-ET-B



EN 14126



EN 1073-2



SOLAS



Encapsulating Type VP1 (red)




Encapsulating Type VP1 (green)

#### PATENTED FABRIC TYPE

**Outer:** Strong, flexible and flame retardant aramid fabric coated with antistatic butyl rubber and an additional top layer of Viton™ rubber

**Inner:** Chloroprene rubber and a multilayer barrier laminate

#### MATERIAL CONSTRUCTION



Non-encapsulating Type T (red)



Non-encapsulating Type T (green)

## STANDARD ENCAPSULATING NFPA 1991 SUIT CONFIGURATIONS

| Visor Features                                                                            | Suit Features                                                                                                | Bayonet ring system with Ansell gloves                                                                                        |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Large VP1 visor<br>Anti-fog lens<br>Visor light<br>Tear-off/ATEX lens protector*          | Sock with boot overflap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>2 Pce Exhaust valves | AlphaTec® 02-100<br>AlphaTec® 38-628 (Viton™ Butyl)<br>AlphaTec® 58-800<br>(Overglove for improved cut & puncture resistance) |
| 2 options with or without the following: Visor light                                      |                                                                                                              |                                                                                                                               |
| Description                                                                               |                                                                                                              | Suit Sizes**                                                                                                                  |
| AlphaTec® 66 EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE             |                                                                                                              | S-3XL                                                                                                                         |
| AlphaTec® 66 EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE |                                                                                                              | S-3XL                                                                                                                         |

MRPN and SKU information for green color option, please contact your Ansell representative.

## STANDARD TYPE T NON-ENCAPSULATING EN 943-1 / EN 943-2 SUIT CONFIGURATIONS

| Hood Features                                                           | Suit Features                                                                                               | Bayonet ring system with Ansell gloves              |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Hood with face seal to be worn with the face mask on top                | Sock with boot overflap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>1 Pce Exhaust valve | AlphaTec® 02-100<br>AlphaTec® 38-628 (Viton™ Butyl) |
| 1 option                                                                |                                                                                                             |                                                     |
| Description                                                             |                                                                                                             | Suit Sizes**                                        |
| AlphaTec® 66 EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE |                                                                                                             | S-3XL                                               |

MRPN and SKU information for green color option, please contact your Ansell representative.

**AlphaTec®****FLASH**

Previously known as: TRELLCHEM® VPS FLASH

**Cost-efficient high performance suit providing excellent protection against aggressive gases, liquids and solids. Fully certified to the NFPA 1991 level of the US standard NFPA 1990 including the optional chemical flash fire and liquefied gas protection requirements.**

**KEY FEATURES & BENEFITS**

- Excellent permeation times in combination with a high degree of flame resistance
- Reusable, repairable
- Single skin, no over cover required
- Highly abrasion resistant material
- Proven design fits major SCBA bottles
- AlphaTec® Bayonet ring system for fast, easy glove change
- Available in orange (standard) or olive green (MOQ may apply)

**STANDARDS & CERTIFICATION**

- EU PPE Category III
- NFPA 1991 (1990) including optional chemical flash fire and liquefied gas protection
- EN 943-1:2015 + A1:2019 and EN 943-2:2019 Type 1a-ET
- Approved for use in explosive environments, Zones 2/21, 22 and chemical group IIA only
- Made of anti-static garment material (as defined in EN 1149-5)



TYPE 1a-B



TYPE 1a-ET-B



EN 14126




EN 1073-2

**PATENTED FABRIC TYPE**

Outer: Strong, flexible and flame retardant aramid fabric coated with chloroprene rubber

Inner: Chloroprene rubber and a multilayer barrier laminate

**MATERIAL CONSTRUCTION**

Encapsulating Type VP1 (orange)



Encapsulating Type VP1 (green)



Non-encapsulating Type T (orange)



Non-encapsulating Type T (green)

Previously known as: TRELLCHEM® VPS FLASH

## STANDARD ENCAPSULATING NFPA 1991 SUIT CONFIGURATIONS

| Visor Features                                                                   | Suit Features                                                                                                | Bayonet ring system with Ansell gloves                                                                                        |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Large VP1 visor<br>Anti-fog lens<br>Visor light<br>Tear-off/ATEX lens protector* | Sock with boot overflap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>2 Pce Exhaust valves | AlphaTec® 02-100<br>AlphaTec® 38-628 (Viton™ Butyl)<br>AlphaTec® 58-800<br>(Overglove for improved cut & puncture resistance) |

8 options with or without the following: Ventilation, anti-fog lens, visor light

| Description                                                                                     | Suit Sizes** |
|-------------------------------------------------------------------------------------------------|--------------|
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE                      | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE             | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE          | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, SOCK, ORANGE, SIZE                        | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, ORANGE, SIZE               | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, VISORLIGHT, SOCK, ORANGE, SIZE            | S-3XL        |
| AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, ORANGE, SIZE   | S-3XL        |

MRPN and SKU information for green color option, please contact your Ansell representative.

## STANDARD TYPE T NON-ENCAPSULATING EN 943-1 / EN 943-2 SUIT CONFIGURATIONS

| Hood Features                                            | Suit Features                                                                                                                                                | Bayonet ring system with Ansell gloves              |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| Hood with face seal to be worn with the face mask on top | Boot - attached Nitrile rubber Fireman's boot<br>Sock with boot overflap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>1 Pce Exhaust valve | AlphaTec® 02-100<br>AlphaTec® 38-628 (Viton™ Butyl) |

2 options with or without the following: Nitrile boot or sock

| Description                                                                 | Suit Sizes** |
|-----------------------------------------------------------------------------|--------------|
| AlphaTec® 66FLASH, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, ORANGE, SIZE | S-3XL        |
| AlphaTec® 66FLASH, TYPET LVL B NONENCAP, EN 943-2, VENT, BOOT, ORANGE, SIZE | S-3XL        |

MRPN and SKU information for green color option, please contact your Ansell representative.

**AlphaTec®****SUPER**

Previously known as: TRELLECHEM® SUPER

**Workhorse of the AlphaTec® gas tight suit range that is highly chemical resistant and durable, with the ultimate in soft and flexible comfort and outstanding performance record and users within all areas of industry.**

**KEY FEATURES & BENEFITS**

- Exceptional protection against alkalis, strong acids (e.g. hydrofluoric acid) petrochemicals, chlorinated solvents, aromatic oils
- Maximizes strength and durability while maintaining softness and flexibility, ensuring increased wearer comfort
- Reusable, repairable
- Proven design fits major SCBA bottles
- Bayonet ring system for fast, easy glove change

**STANDARDS & CERTIFICATION**

- EU PPE Category III
- EN 943-1:2015 + A1:2019 and EN 943-2:2019 Type 1a-ET/Type 1b-ET
- Approved for use in explosive environments, Zones 0,1,2 / 20, 21, 22 and chemical group IIA, IIB, IIC
- Made of anti-static garment material (as defined in EN 1149-5)
- Non-encapsulating suits are certified to SOLAS



TYPE 1a-ET-B



TYPE 1b-ET-B



EN 14126



EN 1073-2




SOLAS

**FABRIC TYPE**

Outer: Butyl rubber and a top layer of Viton™ rubber coated on polyamide fabric

Inner: Butyl rubber

**MATERIAL CONSTRUCTION**

Encapsulating Type VP1



Non-encapsulating Type T

**STANDARD ENCAPSULATING EN 943-1 / EN 943-2 SUIT CONFIGURATIONS**

| Visor Features                                                   | Suit Features                                                                                               | Bayonet ring system with Ansell gloves                   |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Large VP1 visor<br>Anti-fog lens<br>Tear-off/ATEX lens protector | Sock with boot overlap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>2 Pce Exhaust valves | AlphaTec® 38-628 (Viton™ Butyl)<br>AlphaTec® Rubber cuff |

2 options with or without the following: Ventilation

| Description                                                                                         | Suit Sizes** |
|-----------------------------------------------------------------------------------------------------|--------------|
| AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE   | S-3XL        |
| AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW, SIZE | S-3XL        |

**STANDARD TYPE T NON-ENCAPSULATING EN 943-1 / EN 943-2 SUIT CONFIGURATIONS**

| Hood Features                                            | Suit Features                                                                                                                                               | Bayonet ring system with Ansell gloves                   |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Hood with face seal to be worn with the face mask on top | Boot - attached Nitrile rubber Fireman's boot<br>Sock with boot overlap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>1 Pce Exhaust valve | AlphaTec® 38-628 (Viton™ Butyl)<br>AlphaTec® Rubber cuff |

4 options with or without the following: Ventilation, nitrile boot or sock

| Description                                                                    | Suit Sizes** |
|--------------------------------------------------------------------------------|--------------|
| AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE | S-3XL        |
| AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE   | S-3XL        |
| AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE | S-3XL        |
| AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE   | S-3XL        |

Please refer to pages 26-33 for a full list of all MRPNs and SKUs for suits and accessories.

\*\* Up charge for size 3XL

**AlphaTec®****LIGHT**

Previously known as: TRELLCHEM® LIGHT

**Basic reusable gas tight suit intended for lighter industrial work.  
Made from a soft and durable material. Certified to EN 943-1.**

**KEY FEATURES & BENEFITS**


- Ideal against alkalis, low concentration acids
- Reusable, repairable
- Strong yet soft and durable material
- Proven design fits major SCBA bottles
- Bayonet ring system for fast, easy glove change

**STANDARDS & CERTIFICATION**

- EU PPE Category III
- EN 943-1:2015 + A1:2019 Type 1a / Type 1b
- Made of anti-static garment material (as defined in EN 1149-5)
- Non-encapsulating suits are certified to SOLAS

**FABRIC TYPE**

Strong and flexible polyester fabric coated on each side with PVC

**MATERIAL CONSTRUCTION**

Encapsulating Type VP1



Non-encapsulating Type T

**STANDARD ENCAPSULATING EN 943-1 SUIT CONFIGURATIONS**

| Visor Features                                                   | Suit Features                                                                                               | Bayonet ring system with Ansell gloves               |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Large VP1 visor<br>Anti-fog lens<br>Tear-off/ATEX lens protector | Sock with boot overlap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>2 Pce Exhaust valves | AlphaTec® 08-354 (Neoprene)<br>AlphaTec® Rubber cuff |

2 options with or without the following: Ventilation

| Description                                                                                         | Suit Sizes** |
|-----------------------------------------------------------------------------------------------------|--------------|
| AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE   | S-3XL        |
| AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE | S-3XL        |

**STANDARD TYPE T NON-ENCAPSULATING EN 943-1 SUIT CONFIGURATIONS**

| Hood Features                                            | Suit Features                                                                                                                                  | Bayonet ring system with Ansell gloves               |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Hood with face seal to be worn with the face mask on top | Boot – attached PVC Safety boots<br>Sock with boot overlap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>1 Pce Exhaust valve | AlphaTec® 08-354 (Neoprene)<br>AlphaTec® Rubber cuff |

4 options with or without the following: Ventilation, PVC boot or sock

| Description                                                                    | Suit Sizes** |
|--------------------------------------------------------------------------------|--------------|
| AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE | S-3XL        |
| AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE   | S-3XL        |
| AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE | S-3XL        |
| AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE   | S-3XL        |

Please refer to pages 26-33 for a full list of all MRPNs and SKUs for suits and accessories.

\*\* Up charge for size 3XL

**AlphaTec®****SUPER FREEFLOW**

Previously known as: TRELLECHEM® SUPER

**Combined respiratory protection and high level, chemical protection. Designed for use with external air source, without the use of an SCBA, and therefore specially aimed at industrial use. Allows longer working hours and provides improved wearer comfort.**

**KEY FEATURES & BENEFITS**

- Exceptional protection against alkalis, strong acids (e.g. hydrofluoric acid) petrochemicals, chlorinated solvents, aromatic oils
- Diffusers at the top of the hood prevent visor fogging
- Long permeation times
- Reusable, repairable
- Bayonet ring system for fast, easy glove change

**STANDARDS & CERTIFICATION**

- EU PPE Category III
- EN 943-1:2015 + A1:2019 Type 1c
- Approved for use in explosive environments, Zones 0,1,2 / 20, 21, 22 and chemical group IIA, IIB, IIC
- Made of anti-static garment material (as defined in EN 1149-5)



TYPE 1c-B



EN 14126




EN 1073-1

**FABRIC TYPE**

Outer: Butyl rubber and a top layer of Viton™ rubber coated on polyamide fabric

Inner: Butyl rubber

**MATERIAL CONSTRUCTION**

Encapsulating SUPER FREEFLOW

**STANDARD ENCAPSULATING EN 943-1 SUIT CONFIGURATIONS**

| Visor Features                           | Suit Features                                  | Bayonet ring system with Ansell gloves                   |
|------------------------------------------|------------------------------------------------|----------------------------------------------------------|
| CV visor<br>Tear-off/ATEX lens protector | Sock with boot overlap<br>4 Pce Exhaust valves | AlphaTec® 38-628 (Viton™ Butyl)<br>AlphaTec® Rubber cuff |

**1 option**

| Description                                                                           | Suit Sizes** |
|---------------------------------------------------------------------------------------|--------------|
| AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE | S-3XL        |

**AlphaTec®****BSL4**

## Soft, flexible and durable air-fed suit designed for combined chemical, biological and respiratory protection

### KEY FEATURES & BENEFITS

- Made from a strong yet soft and durable material
- Encapsulating, air-fed design for use with external air supply via airline
- Swiveling airline passthrough
- Working pressure 2.2-5.5 bar
- Designed for use with an external air source, which allows longer working hours and provides improved wearer comfort
- Suitable for Level 4 Biological Safety Laboratories
- Provides protection against chemicals in liquid, aerosol and solid form
- Protects against infectious agents, i.e. bacteria, virus and fungi, and against radioactive particles
- Option of attached PVC safety boot or sewn-in sock made from suit material
- Gloves can be secured with waterproof tape or a rubber band

### STANDARDS & CERTIFICATION

AlphaTec® BSL4 suit is not certified in accordance with any regulations or standards, however the following material and full suit tests have been conducted at independent laboratories:

- EN 1073-1:2016 & A1:2018 (radioactive particle protection):
  - Clause 4.3 %TIL NPF\* (tested in accordance with Clause 5.4) - Result Class 5, NPF\* 50,000
  - Clause 4.12 Carbon Dioxide content of the inhalation air - Result < 1.0%
  - Clause 4.13 Noise associated with the air supply to the suit - Result < 80db[A]
- EN 14126:2003 (infective agent protection)
- Made of anti-static garment material (as defined in EN 1149-5)
- EN ISO 17491-3:2008 Determination of resistance to penetration by a jet of liquid (jet test)


#### Internal testing:

- Every suit is tested for air leak-tightness according to ISO 17491-1:2012, Method 2

### FABRIC TYPE

Strong and flexible polyester fabric coated on each side with PVC

### MATERIAL CONSTRUCTION



Encapsulating BSL4

## STANDARD ENCAPSULATING SUIT CONFIGURATIONS

| Visor Features | Suit Features                              | Bayonet ring system with Ansell gloves                    |
|----------------|--------------------------------------------|-----------------------------------------------------------|
| CV visor       | Sock no boot overlap option<br>Boot option | No gloves or connection system is supplied with this suit |

Inlet pressure can be specified to meet requirements at time of order.

#### 1 option

| Description                        | Suit Sizes** |
|------------------------------------|--------------|
| ATec-BSL4-PT32psi-280L-OR-BT6-SIZE | S-2XL        |

Please refer to pages 26-33 for a full list of all MRPNs and SKUs for suits and accessories.

AlphaTec®

LIGHT FREEFLOW

Previously known as: TRELLCHEM® LIGHT FREEFLOW

Combined respiratory protection and gas tight chemical protection. Designed for use with an external airline without the need for SCBA, enabling wearer comfort.

KEY FEATURES & BENEFITS

- Reusable, repairable
- Strong yet soft and durable material
- Diffusers at the top of the hood prevent visor fogging
- Ideal against alkalis, low concentration acids
- Bayonet ring system for fast, easy glove change

STANDARDS & CERTIFICATION

- EU PPE Category III
- EN 943-1:2015 + A1:2019 Type 1c
- Made of anti-static garment material (as defined in EN 1149-5)



TYPE 1c-B



EN 14126




EN 1073-1

FABRIC TYPE

Strong and flexible polyester fabric coated on each side with PVC

MATERIAL CONSTRUCTION



Encapsulating LIGHT FREEFLOW

STANDARD ENCAPSULATING EN 943-1 SUIT CONFIGURATIONS

| Visor Features                           | Suit Features                                   | Bayonet ring system with Ansell gloves               |
|------------------------------------------|-------------------------------------------------|------------------------------------------------------|
| CV visor<br>Tear-off/ATEX lens protector | Sock with boot overflap<br>4 Pce Exhaust valves | AlphaTec® 08-354 (Neoprene)<br>AlphaTec® Rubber cuff |

| 1 option                                                                              |              |
|---------------------------------------------------------------------------------------|--------------|
| Description                                                                           | Suit Sizes** |
| AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE | S-3XL        |

Please refer to pages 26-33 for a full list of all MRPNs and SKUs for suits and accessories.

\*\* Up charge for size 3XL

AlphaTec®

TRAINER

Previously known as: TRELLCHEM® TRELLTRAIN

The AlphaTec® TRAINER is intended for training only, designed in the same way as real gas tight intervention suits, to offer as realistic training as possible.

#### KEY FEATURES & BENEFITS

- Reusable
- Saves the operational suits until they are really needed
- Same design as the operational AlphaTec® gas tight suit
- Strong and durable watertight PVC coated zipper
- Bayonet ring system for fast, easy glove change


#### STANDARDS & CERTIFICATION

Non-certified product - intended for training purpose only

#### FABRIC TYPE

Strong and flexible polyester fabric coated with PVC on both sides

#### MATERIAL CONSTRUCTION



Encapsulating

### STANDARD ENCAPSULATING SUIT CONFIGURATIONS

| Visor Features                   | Suit Features                                                                                                | Bayonet ring system with Ansell gloves               |
|----------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Large VP1 visor<br>Anti-fog lens | Sock with boot overflap<br>Internal suit ventilation with AlphaTec® Regulating valve<br>2 Pce Exhaust valves | AlphaTec® 08-354 (Neoprene)<br>AlphaTec® Rubber cuff |

2 options with or without the following: Ventilation

| Description                                                                                | Suit Sizes** |
|--------------------------------------------------------------------------------------------|--------------|
| AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE | S-3XL        |
| AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE   | S-3XL        |



## ACCESSORIES AND SPARES

**AlphaTec® Level A & Level B gas tight suits are reusable and require service and maintenance.**

In this section you will find the necessary accessories and spare parts such as replacement gloves, tear-off lens, exhaust valves, pressure test kits and AlphaTec® Bayonet ring spares etc.

For repair and maintenance, only use genuine AlphaTec® (TRELLCHEM®) spare parts or the function may be impaired.

**Please refer to pages 26-33 for a full list of all MRPNs and SKUs for suits and accessories. MRPNs are designed to help Ansell with full visibility to a customer's individual specification. SKUs are designed to work with ERP systems and are what should be used when ordering.**

### IMPORTANT NOTICE!

**Adhesives, hardeners and solvents are all classed as *dangerous goods*, and as such are subject to strict conditions when it comes to transportation.**

Under IATA & ADR regulations, such products cannot be included in regular shipments, and must be sent as a separate consignment. The costs involved with shipping, duties and customs will always be extremely high in relation to the cost of the goods.

Ansell will not accept any liability for these costs. We suggest that prior to ordering any of these goods, you contact your local transportation and customs agent regarding local regulations, and for a quotation, at which point you will be aware of the charges up front.

## CONTENTS

### ACCESSORIES

ActivArm<sup>®</sup> Cooling Vest  
Silicone oversock

16

### GLOVES

Chemical protective gloves  
Inner gloves  
Neoprene rubber gloves  
Cut protective aramid gloves  
Comfort gloves  
Cold protective gloves

17

### VISOR ACCESSORIES

Hands-free visor light system  
Tear-off/ATEX lens  
Anti-fog lens

18

### CONNECTION HOSES

Straight hoses  
T-connection hoses

18

### STORAGE

Storage bags & suit hanger

19

### TESTING EQUIPMENT

AlphaTec<sup>®</sup> Manual pressure test kit  
AlphaTec<sup>®</sup> Manual pressure test upgrade kits  
AlphaTec<sup>®</sup> Universal inflation adapter kit

19

### BASIC MAINTENANCE AND REPAIR

Zipper maintenance  
Bayonet ring system maintenance  
Exhaust valves  
Service-kit - AlphaTec<sup>®</sup> Regulating valve & Airline passthrough

20

### SUIT PATCH REPAIR

Repair kit - Rubber coated suits  
Repair kit - PVC suits  
Repair patches  
Adhesive, hardner & solvent

21

### ADVANCED MAINTENANCE AND REPAIR

Visor & face seal replacement  
Tapes for visor & face seal replacement  
Tools for visor & face seal replacement  
AlphaTec<sup>®</sup> Bayonet ring system  
Boot replacement  
Tool for boot replacement  
AlphaTec<sup>®</sup> Regulating valve

22 - 23

## ACCESSORIES

### ACTIVARM<sup>™</sup> COOLING VEST

- Increases comfort at work in hot environments
- Helps reduce heat-stress
- Made from flame retardant (FR) material
- Dark blue

Spare PCM elements full set for vest

Spare single PCM element for vest

| Description                                              | MRPN               | SKU    |
|----------------------------------------------------------|--------------------|--------|
| ActivArm <sup>®</sup> Flexi Cooling Vest FR, One Size    | AA-CLVSTFR-ONESIZE | 846772 |
| ActivArm <sup>®</sup> Cooling Vest Spare Elements (16pc) | AA-CLVST-PCM-16PC  | 846773 |
| ActivArm <sup>®</sup> Cooling Vest Spare Elements (1pc)  | AA-CLVST-PCM-1PC   | 846774 |



### SILICONE OVERSOCK

- To be used with suits in sock version, for easier donning of the boots

|                                                            |                    |        |
|------------------------------------------------------------|--------------------|--------|
| AlphaTec <sup>®</sup> Silicone Oversock, One Size (1 pair) | ARA-B-SIL-SOCK-UNI | 836262 |
|------------------------------------------------------------|--------------------|--------|



## GLOVES



1

**ALPHATEC® 38-628 VITON™/BUTYL RUBBER GLOVE**

- Certified to EN ISO 374-1 & -5, EN 420, EN 388
- Fulfills applicable requirements according to EN 943-1 & EN 943-2/ET
- Standard glove on AlphaTec® EVO, FLASH, SUPER gas tight suits
- **Dual-use classified**

| Description                                   | MRPN               | SKU    |
|-----------------------------------------------|--------------------|--------|
| AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 8    | ARA-G-38628-VB-080 | 839564 |
| AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 9    | ARA-G-38628-VB-090 | 839565 |
| AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 10   | ARA-G-38628-VB-100 | 839566 |
| AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 10.5 | ARA-G-38628-VB-105 | 839567 |
| AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 11   | ARA-G-38628-VB-110 | 839568 |

2

**ALPHATEC® 38-560 BUTYL RUBBER GLOVE**

- Certified to EN ISO 374-1 & -5, EN 420, EN 388
- Fulfills applicable requirements according to EN 943-1
- Optional glove accessory for AlphaTec® LIGHT & TRAINER suits
- **Dual-use classified**

|                                       |                    |        |
|---------------------------------------|--------------------|--------|
| AlphaTec® 38-560 BUTYL GLOVES-SIZE 8  | ARA-G-38560-BU-080 | 836242 |
| AlphaTec® 38-560 BUTYL GLOVES-SIZE 9  | ARA-G-38560-BU-090 | 836243 |
| AlphaTec® 38-560 BUTYL GLOVES-SIZE 10 | ARA-G-38560-BU-100 | 836244 |
| AlphaTec® 38-560 BUTYL GLOVES-SIZE 11 | ARA-G-38560-BU-110 | 836245 |

3

**ALPHATEC® 02-100 INNER GLOVE**

- Certified to EN ISO 374-1 & -5 and EN 420
- Fulfills applicable chemical requirements according to EN 943-1 & EN 943-2/ET
- Must always be used in combination with an outer rubber glove!
- Welded on inner ring for mounting in Bayonet ring system
- Standard glove on AlphaTec® EVO, FLASH gas tight suits

|                                           |                    |        |
|-------------------------------------------|--------------------|--------|
| AlphaTec® 02-100 INNER GLOVE+RING-SIZE 10 | ARA-G-02100-BAYR10 | 836249 |
| AlphaTec® 02-100 INNER GLOVE+RING-SIZE 11 | ARA-G-02100-BAYR11 | 836250 |

4

**NFPA 1991 GLOVE SET****Consisting of:**

- AlphaTec® 02-100 inner glove + inner ring
- AlphaTec® 38-628 Viton™/Butyl gloves
- AlphaTec® 58-800 Overglove Yellow

|                                      |                   |        |
|--------------------------------------|-------------------|--------|
| ATEC GLOVE SET NFPA-SUIT SIZE M      | ARA-G-NFPA-M      | 844027 |
| ATEC GLOVE SET NFPA-SUIT SIZE L      | ARA-G-NFPA-L      | 844028 |
| ATEC GLOVE SET NFPA-SUIT SIZE XL-3XL | ARA-G-NFPA-XL-3XL | 844029 |

5

**ALPHATEC® 08-354 NEOPRENE GLOVE**

- Certified to EN ISO 374-1 & -5, EN 420, EN 388
- Fulfills applicable requirements according to EN 943-1
- Standard glove on AlphaTec® LIGHT and TRAINER suits

|                                          |                    |        |
|------------------------------------------|--------------------|--------|
| AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 8  | ARA-G-08354-NE-080 | 846775 |
| AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 9  | ARA-G-08354-NE-090 | 846776 |
| AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 10 | ARA-G-08354-NE-100 | 846777 |

6

**ALPHATEC® 58-800 ARAMID OVERGLOVE**

- Certified as part of NFPA 1991 suit ensembles
- To be worn as an overglove - fits on top of the Bayonet ring
- Adds cut protection
- Optional glove for all suits

|                                                |                    |        |
|------------------------------------------------|--------------------|--------|
| AlphaTec® 58-800 OVERGLOVE YELLOW CE & NFPA-11 | ARA-G-58800-AR-110 | 836248 |
|------------------------------------------------|--------------------|--------|

7

**COLD PROTECTIVE GLOVE**

- Certified to EN 420, EN 388, EN 511
- To be worn as an overglove - fits on top of the Bayonet ring
- Optional glove accessory for all suits

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| AlphaTec® CRIO COLD PROTECTIVE GLOVE, SIZE 11 | ARA-G-OVR-CRYO-110 | 836252 |
|-----------------------------------------------|--------------------|--------|

8

**INNER COTTON COMFORT GLOVE**

- Knitted gloves worn inside the chemical protective gloves
- Absorbs moisture adding comfort to the wearer

|                                          |                    |        |
|------------------------------------------|--------------------|--------|
| INNER COTTON COMFORT GLOVE, SPR, SIZE 10 | ARA-G-INER-COT-100 | 836251 |
|------------------------------------------|--------------------|--------|

## VISOR ACCESSORIES



### HANDS-FREE VISOR LIGHT SYSTEM

- For attachment on the inside of the visor
- Panoramic light for enhanced safety & an easier work
- LED lights powered by 1 x 9 V battery (not included)

| Description                                  | MRPN               | SKU    |
|----------------------------------------------|--------------------|--------|
| AlphaTec® HANDS-FREE VISOR LIGHT-VP1 VISOR   | ARA-V-LITE- VP1    | 836299 |
| AlphaTec® HANDS-FREE VISOR LIGHT-CV VISOR    | ARA-V-LITE- XCV    | 836300 |
| VISOR LIGHT ALTERNATIVE BATTERY POSITION KIT | ARA-V-EXKIT-ALTBAT | 836301 |



### TEAR-OFF/ATEX LENS

- For attachment on the outside of the visor
- Protects the visor against scratches and admits easy cleaning after liquid splashes
- Antistatic / ATEX

**NOTE!** This lens is required for AlphaTec® EVO, FLASH and SUPER suits to fulfill the ATEX approval!

|                                 |                |        |
|---------------------------------|----------------|--------|
| TEAR-OFF/ATEX-LENS CV (10 PCS)  | ARA-V-ATEX-XCV | 836302 |
| TEAR-OFF/ATEX-LENS VP1 (10 PCS) | ARA-V-ATEX-VP1 | 836303 |



### ANTI-FOG

- For attachment on the inside of the visor

|                                        |                    |        |
|----------------------------------------|--------------------|--------|
| AlphaTec® ANTI-FOG LENS, SUIT TYPE CV  | ARA-V-AFOG-LENS-CV | 836304 |
| AlphaTec® ANTI-FOG LENS, SUIT TYPE VP1 | ARA-V-AFOG-LENS-VP | 836305 |

## CONNECTION HOSES

### CONNECTION HOSES

- For connecting the SBCA to the suit ventilation system
- Euro female CEJN 221 in one end connects to the AlphaTec® Regulating valve
- 50 cm hose



### STRAIGHT HOSES

### TYPE OF CONNECTION TO BA

|                                               |                                      |                    |        |
|-----------------------------------------------|--------------------------------------|--------------------|--------|
| ConHose-STR-CEJN341M + CEJN221F -50cm Hose    | CEJN 341 male                        | AR-VH-STR-341M     | 836294 |
| ConHose-STR-CEJN345F + CEJN221F - 50cm Hose   | CEJN 345 female                      | AR-VH-STR-345F     | 836295 |
| ConHose-STR-HansenLL2-H16F+CEJN221F-50cm Hose | Hansen LL2-H16 female (common in US) | AR-VH-STR-HLL2H16F | 836296 |

### T-CONNECTION HOSES

### TYPE OF CONNECTION TO BA

|                                               |                               |                   |        |
|-----------------------------------------------|-------------------------------|-------------------|--------|
| ConHose-T-CEJN344M/F-Tpce + 221F-50cm Hose    | CEJN 344 male/CEJN 344 female | AR-VH-T-344M-344F | 836297 |
| ConHose-T-CEJN344M/345F-Tpce + 221F-50cm Hose | CEJN 344 male/CEJN 345 female | AR-VH-T-344M-345F | 836298 |

\* Preferably used on type T suits, adds an extra connection to be used for an Escape Hood or Rescue Mask.

## STORAGE

### STORAGE BAGS & SUIT HANGER

- Practical storage and carrying bag for your AlphaTec® suit

| Description                                    | MRPN             | SKU    |
|------------------------------------------------|------------------|--------|
| AlphaTec® bag-Large-Black (for gastight suits) | ARA-LGEBAG-ATBLK | 836315 |
| AlphaTec® Suit Hanger Type CV, VP1 (straight)  | ARA-HANGER-ENCAP | 836316 |
| AlphaTec® Suit Hanger Type T                   | ARA-HANGER-TYPET | 836317 |



## TEST EQUIPMENT

Previously known as: Trelltest

### ALPHATEC® MANUAL PRESSURE TEST KIT

- For manual testing of gas tight suits
- Fits all AlphaTec® suits
- Fits both AlphaTec® and TRELLCHEM® Exhaust valves

|                                                   |                  |        |
|---------------------------------------------------|------------------|--------|
| Pressure Test Kit - All Styles (CV/VP1/F-Flow/T)  | AR-SR-PTK-ALL-GT | 836281 |
| Pressure Test Kit - Encap Suits (VP1/CV/FREEFLOW) | AR-SR-PTK-ENCAP  | 836282 |
| Pressure Test Kit - Non-Encap Suits (Type T only) | AR-SR-PTK-TYPE-T | 836283 |

\* Image shows all styles




### ALPHATEC® MANUAL PRESSURE TEST UPGRADE KITS

- Upgrade old Trelltest kits, to also be able to test AlphaTec® gas tight suits with the AlphaTec® Exhaust valve.
- Contains: AlphaTec® Sealing plug/-s, AlphaTec® Pressure Test Adaptor + Instruction for Use

|                                                |                    |        |
|------------------------------------------------|--------------------|--------|
| Upgrade Kit for Pressure Test - All suit types | AR-SR-PT-UG-ALL-GT | 836285 |
| Upgrade Kit for Pressure Test - Type CV/VP1    | AR-SR-PT-UG-ENCAP  | 836286 |
| Upgrade Kit for Pressure Test - Type T suit    | AR-SR-PT-UG-TYPE-T | 836287 |

### SPARE PARTS - ALPHATEC® (TRELLCHEM®) MANUAL PRESSURE TEST KIT

- Face plate with inflation valve and nipple for type T suits
- Inflation adapter for suits type CV/VP1/Freeflow - can be used on it's own only on suits with TRELLCHEM® Exhaust valve
- AlphaTec® Pressure Test Adapter - for use with the Inflation adaptor, when testing suits with AlphaTec® Exhaust valve



|   |                                                 |                    |        |
|---|-------------------------------------------------|--------------------|--------|
| 1 | Rubber Sealing Plug-Trellchem® Exhaust Valve    | AR-SR-EXV-PLG-TREL | 836288 |
| 2 | Sealing Plug-AlphaTec®/MICROCHEM™ Exhaust Valve | AR-SR-EXV-PLG-ATEC | 836289 |
| 3 | Pressure Test Face Plate-Non-Encap Type T       | AR-SR-PT-FCE-PLATE | 836284 |
| 4 | Inflation Adapter For TRELLCHEM® Exhaust Valve  | AR-SR-EXV-INF-TREL | 836290 |
| 5 | AlphaTec® PT Adaptor To Fit Inflation Adaptor   | AR-SR-EXV-PTA-ATEC | 836291 |

### ALPHATEC® UNIVERSAL INFLATION ADAPTER KIT

- For use with non-AlphaTec®/TRELLCHEM® suit testers
- Includes an Instruction for Use

|                                           |                   |        |
|-------------------------------------------|-------------------|--------|
| AlphaTec® Universal Inflation Adapter kit | AR-SR-PT-ATEC-UNI | 846791 |
|-------------------------------------------|-------------------|--------|



## BASIC MAINTENANCE AND REPAIR

### ZIPPER MAINTENANCE

- The zipper must be lubricated after every use!

| Description              | MRPN              | SKU    |
|--------------------------|-------------------|--------|
| AlphaTec® Zipper Wax Kit | AR-SR-ZIP-WAX-KIT | 836318 |



### AlphaTec® BAYONET RING SYSTEM MAINTENANCE

- The Viton™ O-rings must be lubricated after every use!
- Replace the Viton™ O-rings every 5th year
- Replace the AlphaTec® Rubber cuff every 5th year  
(Standard on SUPER, LIGHT & TRAINER, upgrade on EVO & FLASH)

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| AlphaTec® Rubber Cuff Assembly On Ring-1pc    | AR-SR-BAY-RUB-CUF  | 836253 |
| Bayonet Cuff Viton O-Ring-Sleeve Side (10pk)  | AR-SR-BAY-SL-ORING | 836258 |
| Bayonet Cuff Viton O-Ring-Glove Side (10pk)   | AR-SR-BAY-GL-ORING | 836259 |
| Bayonet Cuff Molykote O-Ring Grease 10g (5pk) | AR-SR-O-RING-GRS-5 | 836260 |
| Bayonet Cuff Red Lock Pins (10pk)             | AR-SR-BAY-LOCK-PIN | 836261 |



### EXHAUST VALVES

#### AlphaTec® Exhaust / Overpressure Valve

- Standard in all AlphaTec® gas tight suits
- Replace the membrane every 5th year

|   |                                                    |                    |        |
|---|----------------------------------------------------|--------------------|--------|
| ① | AlphaTec® Exhaust Valve Complete Replacement       | AR-SR-EXVLV-ATEC   | 836311 |
| ② | AlphaTec® Exhaust Valve, Membrane Only, 5pcs       | AR-SR-EXVLV-MEM-AT | 836312 |
| ③ | 3-Pin Tool Replace AlphaTec® Exhalation Valve*     | AR-SR-EXVTOOL-ATEC | 836293 |
| ④ | AlphaTec® Exhaust Valve Cover Remove Palette Knife | AR-SR-EXVLV-PALKNF | 846790 |

\* For use with a torque screw driver



### EXHAUST VALVES

#### TRELLCHEM® Exhaust / Overpressure Valve

- Replace the complete valve every 5th year

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| TRELLCHEM® Exhaust Valve Complete Replacement | AR-SR-EXVLV-TREL   | 836310 |
| TRELLCHEM® Exhalation Valve Spanner           | AR-SR-EXVTOOL-TREL | 836292 |



### SERVICE-KIT - ALPHATEC® REGULATING VALVE & AIRLINE PASSTHROUGH

- Should be serviced every 5th year
- Contains: Instructions, 4 pcs O-rings, 1 pce rubber sealing

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| Regulating Valve/Pass Thru Service Kit-(1pc)  | AR-REG-SVCKIT-1PC  | 846778 |
| Regulating Valve/Pass Thru Service Kit-(10pc) | AR-REG-SVCKIT-10PC | 846779 |



## SUIT PATCH REPAIR

### REPAIR KIT - RUBBER COATED SUITS

- Contents:
  - Instructions
  - 1 set of patches
  - 125 ml Adhesive "Rubber solution 26-0724" - **Dangerous Goods**
  - 8 ml Hardener "Desmodur RFE" - **Dangerous Goods**
  - 250 ml Solvent Heptane - **Dangerous Goods**
  - 1 pce Brush

| Description                         | MRPN               | SKU    |
|-------------------------------------|--------------------|--------|
| Repair Kit AlphaTec® EVO (red)      | AR-SR-PATKIT-EVO-R | 836263 |
| Repair Kit AlphaTec® FLASH (orange) | AR-SR-PATKIT-VPF-O | 836264 |
| Repair Kit AlphaTec® VPS (yellow)   | AR-SR-PATKIT-VPS-Y | 836265 |
| Repair Kit AlphaTec® SUPER (yellow) | AR-SR-PATKIT-SUP-Y | 836266 |



### REPAIR KIT - PVC SUITS

- Contents:
  - Instructions
  - 1 set of patches
  - 35 ml Adhesive "Bostik Universal PVC" - **Dangerous Goods**
  - 250 ml Solvent Heptane - **Dangerous Goods**
  - 1 pce Brush


|                                                |                    |        |
|------------------------------------------------|--------------------|--------|
| Repair Kit AlphaTec® LIGHT/BSL4 (orange)       | AR-SR-PATKIT-LGT-O | 836267 |
| Repair Kit AlphaTec® TRAINER/Trelltrain(green) | AR-SR-PATKIT-TRN-G | 836268 |
| Repair Kit 66-300 Splash 600-Red               | AR-SR-REPKT-630-RE | 836269 |
| Repair Kit 66-310 Splash 600-FluorescentYellow | AR-SR-REPKT-631-FY | 836270 |
| Repair Kit 66-320 Splash 900/2000-YellowGreen  | AR-SR-REPKT-632-YG | 836271 |



### REPAIR PATCHES

- Contents:
  - Patches in 3 different sizes
  - Patches for inside & outside
  - In total 24 patches

|                                               |                   |        |
|-----------------------------------------------|-------------------|--------|
| Repair Patches AlphaTec® EVO Red (24 patches) | AR-SR-PATCH-EVO-R | 836272 |
| Repair Patches AlphaTec® FLASH (24 patches)   | AR-SR-PATCH-VPF-O | 836273 |
| Repair Patches AlphaTec® VPS (24 patches)     | AR-SR-PATCH-VPS-Y | 836274 |
| Repair Patches AlphaTec® SUPER (24 patches)   | AR-SR-PATCH-SUP-Y | 836275 |
| Repair Patches AlphaTec® LIGHT (24 patches)   | AR-SR-PATCH-LGT-O | 836276 |



### ADHESIVE, HARDENER & SOLVENT

- Same as in the repair kits - **Dangerous Goods**

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| Glue for Patches & Type T Face Seals (125 mL) | AR-SR-TREL-RUB-ADH | 836277 |
| Desmodur RFE Hardener for Glue (8mL)          | AR-SR-HARDNER-RUB  | 836278 |
| Heptane Solvent (250mL)                       | AR-SR-SOLV-HEPTANE | 836279 |
| Bostik Glue for LIGHT PVC Suits(35mL tube)    | AR-SR-BSTK-PVC-ADH | 836280 |

## ADVANCED REPAIR & MAINTENANCE


**!!! Requires attendance to AlphaTec® Service Training Course !!!**

### VISOR & FACE SEAL REPLACEMENT

#### Visors & face seal

- Visor made from 2mm rigid PVC
- The face seal should be replaced every 5th year


| Description                               | MRPN             | SKU    |
|-------------------------------------------|------------------|--------|
| AlphaTec® Replacement Visor, Type CV      | AR-SR-V-REPL-XCV | 836306 |
| AlphaTec® Replacement Visor, Type VP1     | AR-SR-V-REPL-VP1 | 836307 |
| Replacement Rubber Face Seal Type T Suits | AR-SR-RFS-TYPE-T | 836309 |



### TAPES FOR VISOR & FACE SEAL REPLACEMENT

- Approx. 2 meter tape per visor is required
- Approx. 1 meter tape per face seal is required

|                                              |                    |        |
|----------------------------------------------|--------------------|--------|
| Inside Seal Tape-orange-25mm wide-40m/roll   | AR-SR-INSEALTPE-OR | 846780 |
| EVO-Outside Tape-red-17 mm-25m/roll          | AR-SR-EVO-TAPE-RED | 846781 |
| EVO-Outer Reinforce Tape-visor edge-RED-1pc  | AR-SR-EVO-REINFT-R | 846782 |
| FLASH-Outside Tape-orange-17mm-25m/roll      | AR-SR-FLSH-TAPE-OR | 846783 |
| FLASH-Outer Reinforce Tape-visor edge-OR-1pc | AR-SR-FL-REINFT-OR | 846784 |
| SUPER-Outside Tape-yellow-15 mm-25m/roll     | AR-SR-SUPR-TAPE-YE | 846785 |
| SUPER-Outer Reinforce Tape-visor edge-YE-1pc | AR-SR-SUP-REINFT-Y | 846786 |



### TOOL FOR VISOR & FACE SEAL REPLACEMENT

|                                            |                   |        |
|--------------------------------------------|-------------------|--------|
| Roller 4mm-Tool-Visor & Face Seal Replace  | AR-SR-4MM-ROLLER  | 846787 |
| Roller 12mm-Tool-Visor & Face Seal Replace | AR-SR-12MM-ROLLER | 846788 |
| Natural Rubber- For "Erasing" Glue         | AR-SR-GLUE-ERASER | 846789 |



### AlphaTec® BAYONET RING SYSTEM

- Set content: 2 pcs sleeve rings, 2 pcs glove rings, 2 + 2 pcs Viton™ O-rings, 2 pcs inner rings, 2 pcs red lock pins + 2 pcs AlphaTec® Rubber cuff
- Set content: 2 pcs sleeve rings, 2 pcs glove rings, 2 + 2 pcs Viton™ O-rings, 2 pcs inner rings, 2 pcs red lock pins (no rubber cuffs included)

|                                              |                    |        |
|----------------------------------------------|--------------------|--------|
| 1 Bayonet Ring Complete With Rubber Cuff-1pr | AR-SR-BR-IN-CUFSET | 836254 |
| 2 Bayonet Ring Complete No Rubber Cuff-1pr   | AR-SR-BR-EX-CUFSET | 836255 |
| Bayonet Cuff System Glove Ring-1pc           | AR-SR-BR-GLV-RING  | 836256 |
| Bayonet Cuff System Sleeve Ring-1pc          | AR-SR-BR-SLV-RING  | 836257 |
| Bayonet Cuff System Inner Ring-Black-1pc     | AR-SR-BAY-IN-RING  | 846792 |



Image showing how a Sleeve Ring, Glove Ring and, if fitted, a Rubber Cuff would look like on a suit



Sleeve Ring & Glove Ring with Glove fitted



AlphaTec® Rubber Cuff fitted to Sleeve Ring

ADVANCED REPAIR & MAINTENANCE

!!! Requires attendance to AlphaTec® Service Training Course !!!

BOOT REPLACEMENT

Boot rings and Ligarex band

- Used for attaching both Nitrile rubber boots and PVC safety boots
- Approx. 1.2 meter Ligarex band per boot is required

|   | Description                                  | MRPN               | SKU    |
|---|----------------------------------------------|--------------------|--------|
| 1 | Oval Connect Ring Black Nitrile Rubber Boots | AR-SR-NTRLEBT-RING | 846793 |
| 2 | Oval Connect Ring Yellow PVC Boots           | AR-SR-PVCBOOT-RING | 846794 |
| 3 | Ligarex Band For Attaching Boots (5 metres)  | AR-SR-LIGAREX-BAND | 846795 |
| 4 | Ligarex Clip For Ligarex Band                | AR-SR-LIGAREX-CLIP | 846796 |
| 5 | PVC Tape, Black, 25 mm, 20 m/roll            | AR-SR-PVC-TAPE-BLK | 846797 |



TOOL FOR BOOT REPLACEMENT

|                                      |                    |        |
|--------------------------------------|--------------------|--------|
| Ligarex Tool To Tighten Ligarex Band | AR-SR-LIGAREX-TOOL | 846798 |
|--------------------------------------|--------------------|--------|



ALPHATEC® REGULATING VALVE

- Provides suit ventilation
- Ventilation air flow rates 0/2/30/100 l/min
- Suit connection Euro male CEJN 221

|                                               |                    |        |
|-----------------------------------------------|--------------------|--------|
| Regulating Ventilation Valve Suit Type T      | AR-REG-VENT-TYPE-T | 836313 |
| Regulating Ventilation Valve Suit Type CV/VP1 | AR-REG-VENT-CV-VP1 | 836314 |



# FULL LIST OF SUIT AND ACCESSORY MRPNS AND SKUs

AlphaTec®  
FLASH  
(page 8)

AlphaTec®  
EVO  
(page 6)



| Style                  | Description                                                                                         | MRPN               | SKU    |
|------------------------|-----------------------------------------------------------------------------------------------------|--------------------|--------|
| <b>AlphaTec® EVO</b>   |                                                                                                     |                    |        |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE S                      | AERV10322600000002 | 836037 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE M                      | AERV10332600000003 | 836038 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE L                      | AERV10432600000004 | 836039 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE XL                     | AERV10442600000005 | 836040 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE 2XL                    | AERV10442600000006 | 836041 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, SOCK, RED, SIZE 3XL                    | AERV10442600000007 | 836042 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE S          | AERV10322B00000002 | 836043 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE M          | AERV10332B00000003 | 836044 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE L          | AERV10432B00000004 | 836045 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE XL         | AERV10442B00000005 | 836046 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE 2XL        | AERV10442B00000006 | 836047 |
| 66EVO                  | AlphaTec® 66EVO LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, VENT, VISORLIGHT, SOCK, RED, SIZE 3XL        | AERV10442B00000007 | 836048 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE S                            | AERT20322000000002 | 836057 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE M                            | AERT20332000000003 | 836058 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE L                            | AERT20432000000004 | 836059 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE XL                           | AERT20442000000005 | 836060 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE 2XL                          | AERT20442000000006 | 836061 |
| 66EVO                  | AlphaTec® 66EVO, TYPET LVL B NONENCAP, EN 943-2, VENT, SOCK, RED, SIZE 3XL                          | AERT20442000000007 | 836062 |
| <b>AlphaTec® FLASH</b> |                                                                                                     |                    |        |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE S                        | AFOV10321200000002 | 836067 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE M                        | AFOV10331200000003 | 836068 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE L                        | AFOV10431200000004 | 836069 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE XL                       | AFOV10441200000005 | 836070 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE 2XL                      | AFOV10441200000006 | 836071 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, SOCK, ORANGE, SIZE 3XL                      | AFOV10441200000007 | 836072 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE S               | AFOV10321600000002 | 836073 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE M               | AFOV10331600000003 | 836074 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE L               | AFOV10431600000004 | 836075 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE XL              | AFOV10441600000005 | 836076 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE 2XL             | AFOV10441600000006 | 836077 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE 3XL             | AFOV10441600000007 | 836078 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE S            | AFOV10321900000002 | 836079 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE M            | AFOV10331900000003 | 836080 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE L            | AFOV10431900000004 | 836081 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE XL           | AFOV10441900000005 | 836082 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE 2XL          | AFOV10441900000006 | 836083 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE 3XL          | AFOV10441900000007 | 836084 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE S   | AFOV10321B00000002 | 836085 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE M   | AFOV10331B00000003 | 836086 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE L   | AFOV10431B00000004 | 836087 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE XL  | AFOV10441B00000005 | 836088 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE 2XL | AFOV10441B00000006 | 836089 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, ANTIFOG, NOVENT, VISORLIGHT, SOCK, ORANGE, SIZE 3XL | AFOV10441B00000007 | 836090 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, SOCK, ORANGE, SIZE S                          | AFOV10322200000002 | 836091 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, SOCK, ORANGE, SIZE M                          | AFOV10332200000003 | 836092 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, SOCK, ORANGE, SIZE L                          | AFOV10432200000004 | 836093 |
| 66FLASH                | AlphaTec® 66FLASH LVL A ENCAP, NFPA, VP1 VISOR, VENT, SOCK, ORANGE, SIZE XL                         | AFOV10442200000005 | 836094 |

| Style                  | Description                                                                                            | MRPN                | SKU    |
|------------------------|--------------------------------------------------------------------------------------------------------|---------------------|--------|
| <b>AlphaTec® SUPER</b> |                                                                                                        |                     |        |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE S    | ASYV20222500000002  | 836168 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE M    | ASYV20232500000003  | 836169 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE L    | ASYV20232500000004  | 836170 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE XL   | ASYV20242500000005  | 836171 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE 2XL  | ASYV20242500000006  | 849470 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, YELLOW, SIZE 3XL  | ASYV20242500000007  | 849471 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW, SIZE S  | ASYV20221500000002  | 836172 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW, SIZE M  | ASYV20231500000003  | 836173 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW, SIZE L  | ASYV20231500000004  | 836174 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP, EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW, SIZE XL | ASYV20241500000005  | 836175 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW SIZE 2XL  | ASYV20241500000006  | 849472 |
| 66SUPER                | AlphaTec® 66SUPER TYPE 1 ENCAP EN 943-2, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, YELLOW SIZE 3XL  | ASYV20241500000007  | 849473 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE S                       | AS YT20221000000002 | 836176 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE M                       | AS YT20231000000003 | 836177 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE L                       | AS YT20231000000004 | 836178 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE XL                      | AS YT20241000000005 | 836179 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE 2XL                     | AS YT20241000000006 | 836180 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, SOCK, YELLOW, SIZE 3XL                     | AS YT20241000000007 | 836181 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE S                         | AS YT20222000000002 | 836182 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE M                         | AS YT20232000000003 | 836183 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE L                         | AS YT20232000000004 | 836184 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE XL                        | AS YT20242000000005 | 836185 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE 2XL                       | AS YT20242000000006 | 836186 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, SOCK, YELLOW, SIZE 3XL                       | AS YT20242000000007 | 836187 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE S                       | AS YT21221000000002 | 836188 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE M                       | AS YT21231000000003 | 836189 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE L                       | AS YT21231000000004 | 836190 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE XL                      | AS YT21241000000005 | 836191 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE 2XL                     | AS YT21241000000006 | 836192 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, NOVENT, BOOT, YELLOW, SIZE 3XL                     | AS YT21241000000007 | 836193 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE S                         | AS YT21222000000002 | 836194 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE M                         | AS YT21232000000003 | 836195 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE L                         | AS YT21232000000004 | 836196 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE XL                        | AS YT21242000000005 | 836197 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE 2XL                       | AS YT21242000000006 | 836198 |
| 66SUPER                | AlphaTec® 66SUPER, TYPET, LVL B NONENCAP, EN 943-2, VENT, BOOT, YELLOW, SIZE 3XL                       | AS YT21242000000007 | 836199 |
| <b>AlphaTec® LIGHT</b> |                                                                                                        |                     |        |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE S    | ALOV30252500000002  | 836133 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE M    | ALOV30252500000003  | 836134 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE L    | ALOV30262500000004  | 836135 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE XL   | ALOV30262500000005  | 836136 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE 2XL  | ALOV30262500000006  | 849462 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, VENT, SOCK, ORANGE, SIZE 3XL  | ALOV30262500000007  | 849463 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE S  | ALOV30251500000002  | 836137 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE M  | ALOV30251500000003  | 836138 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE L  | ALOV30261500000004  | 836139 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP, EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE, SIZE XL | ALOV30261500000005  | 836140 |
| 66LIGHT                | AlphaTec® 66LIGHT TYPE 1 ENCAP EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE SIZE 2XL  | ALOV30261500000006  | 849464 |

| Style                           | Description                                                                                           | MRPN               | SKU    |
|---------------------------------|-------------------------------------------------------------------------------------------------------|--------------------|--------|
| <b>AlphaTec® LIGHT</b>          |                                                                                                       |                    |        |
| 66LIGHT                         | AlphaTec® 66LIGHT TYPE 1 ENCAP EN 943-1, VP1 VISOR, ATEX LENS, ANTIFOG, NOVENT, SOCK, ORANGE SIZE 3XL | ALOV30261500000007 | 849465 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE S                      | ALOT30251000000002 | 836141 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE M                      | ALOT30251000000003 | 836142 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE L                      | ALOT30261000000004 | 836143 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE XL                     | ALOT30261000000005 | 836144 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE 2XL                    | ALOT30261000000006 | 836145 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, SOCK, ORANGE, SIZE 3XL                    | ALOT30261000000007 | 836146 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE S                        | ALOT30252000000002 | 836147 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE M                        | ALOT30252000000003 | 836148 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE L                        | ALOT30262000000004 | 836149 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE XL                       | ALOT30262000000005 | 836150 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE 2XL                      | ALOT30262000000006 | 849466 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, SOCK, ORANGE, SIZE 3XL                      | ALOT30262000000007 | 849467 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE S                      | ALOT32251000000002 | 836151 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE M                      | ALOT32251000000003 | 836152 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE L                      | ALOT32261000000004 | 836153 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE XL                     | ALOT32261000000005 | 836154 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE 2XL                    | ALOT32261000000006 | 836155 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, NOVENT, BOOT, ORANGE, SIZE 3XL                    | ALOT32261000000007 | 836156 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE S                        | ALOT32252000000002 | 836157 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE M                        | ALOT32252000000003 | 836158 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE L                        | ALOT32262000000004 | 836159 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE XL                       | ALOT32262000000005 | 836160 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE 2XL                      | ALOT32262000000006 | 849468 |
| 66LIGHT                         | AlphaTec® 66LIGHT, TYPET, LVL B NONENCAP, EN 943-1, VENT, BOOT, ORANGE, SIZE 3XL                      | ALOT32262000000007 | 849469 |
| <b>AlphaTec® SUPER FREEFLOW</b> |                                                                                                       |                    |        |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE S               | ASYF30224100000002 | 836200 |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE M               | ASYF30234100000003 | 836201 |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE L               | ASYF30234100000004 | 836202 |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE XL              | ASYF30244100000005 | 836203 |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE 2XL             | ASYF30244100000006 | 836204 |
| 66SUPER                         | AlphaTec® 66SUPER, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, YELLOW, SIZE 3XL             | ASYF30244100000007 | 836205 |
| <b>AlphaTec® BSL4</b>           |                                                                                                       |                    |        |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT6-S                                                                       | ALOBNC595000006002 | 843638 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT7-S                                                                       | ALOBNC595000007002 | 843639 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT8-S                                                                       | ALOBNC595000008002 | 843640 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT7-M                                                                       | ALOBNC595000007003 | 843641 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT8-M                                                                       | ALOBNC595000008003 | 843642 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT9-M                                                                       | ALOBNC595000009003 | 843643 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT10-M                                                                      | ALOBNC595000010003 | 843644 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT9-L                                                                       | ALOBNC695000009004 | 843645 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT10-L                                                                      | ALOBNC695000010004 | 843646 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT11-L                                                                      | ALOBNC695000011004 | 843647 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT12-L                                                                      | ALOBNC695000012004 | 843648 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT11-XL                                                                     | ALOBNC695000011005 | 843649 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT12-XL                                                                     | ALOBNC695000012005 | 843650 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT13-XL                                                                     | ALOBNC695000013005 | 843651 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-BT14-XL                                                                     | ALOBNC695000014005 | 843652 |

| Style                 | Description                        | MRPN               | SKU    |
|-----------------------|------------------------------------|--------------------|--------|
| <b>AlphaTec® BSL4</b> |                                    |                    |        |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-BT12-2XL | ALOBNC695000012006 | 843653 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-BT13-2XL | ALOBNC695000013006 | 843654 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-BT14-2XL | ALOBNC695000014006 | 843655 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK6-S    | ALOBND596000006002 | 851160 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK7-S    | ALOBND596000007002 | 851161 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK8-S    | ALOBND596000008002 | 851162 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK7-M    | ALOBND596000007003 | 851163 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK8-M    | ALOBND596000008003 | 851164 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK9-M    | ALOBND596000009003 | 851165 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK10-M   | ALOBND596000010003 | 851166 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK9-L    | ALOBND696000009004 | 851167 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK10-L   | ALOBND696000010004 | 851168 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK11-L   | ALOBND696000011004 | 851169 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK12-L   | ALOBND696000012004 | 851170 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK11-XL  | ALOBND696000011005 | 851171 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK12-XL  | ALOBND696000012005 | 851172 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK13-XL  | ALOBND696000013005 | 851173 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK14-2XL | ALOBND695000014006 | 852119 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT6-S    | ALOBNC596000006002 | 852120 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT7-S    | ALOBNC596000007002 | 852121 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT8-S    | ALOBNC596000008002 | 852122 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT7-M    | ALOBNC596000007003 | 852123 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT8-M    | ALOBNC596000008003 | 852124 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT9-M    | ALOBNC596000009003 | 852125 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT10-M   | ALOBNC596000010003 | 852126 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT9-L    | ALOBNC696000009004 | 852127 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT10-L   | ALOBNC696000010004 | 852128 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT11-L   | ALOBNC696000011004 | 852129 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT12-L   | ALOBNC696000012004 | 852130 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT11-XL  | ALOBNC696000011005 | 852131 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT12-XL  | ALOBNC696000012005 | 852132 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT13-XL  | ALOBNC696000013005 | 852133 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT14-XL  | ALOBNC696000014005 | 852134 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT12-2XL | ALOBNC696000012006 | 852135 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT13-2XL | ALOBNC696000013006 | 852136 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-BT14-2XL | ALOBNC696000014006 | 852137 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK14-XL  | ALOBND696000014005 | 851174 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK12-2XL | ALOBND696000012006 | 851175 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK13-2XL | ALOBND696000013006 | 851176 |
| 66BSL4                | ATec-BSL4-PT57psi-280L-OR-SK14-2XL | ALOBND696000014006 | 851177 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK6-S    | ALOBND595000006002 | 852102 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK7-S    | ALOBND595000007002 | 852103 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK8-S    | ALOBND595000008002 | 852104 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK7-M    | ALOBND595000007003 | 852105 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK8-M    | ALOBND595000008003 | 852106 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK9-M    | ALOBND595000009003 | 852107 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK10-M   | ALOBND595000010003 | 852108 |
| 66BSL4                | ATec-BSL4-PT32psi-280L-OR-SK9-L    | ALOBND695000009004 | 852109 |

| Style                           | Description                                                                                    | MRPN                | SKU    |
|---------------------------------|------------------------------------------------------------------------------------------------|---------------------|--------|
| <b>AlphaTec® BSL4</b>           |                                                                                                |                     |        |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK10-L                                                               | ALOBND695000010004  | 852110 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK11-L                                                               | ALOBND695000011004  | 852111 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK12-L                                                               | ALOBND695000012004  | 852112 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK11-XL                                                              | ALOBND695000011005  | 852113 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK12-XL                                                              | ALOBND695000012005  | 852114 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK13-XL                                                              | ALOBND695000013005  | 852115 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK14-XL                                                              | ALOBND695000014005  | 852116 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK12-2XL                                                             | ALOBND695000012006  | 852117 |
| 66BSL4                          | ATec-BSL4-PT32psi-280L-OR-SK13-2XL                                                             | ALOBND695000013006  | 852118 |
| <b>AlphaTec® LIGHT FREEFLOW</b> |                                                                                                |                     |        |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE S        | ALOF30254100000002  | 836161 |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE M        | ALOF30254100000003  | 836162 |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE L        | ALOF30264100000004  | 836163 |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE XL       | ALOF30264100000005  | 836164 |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE 2XL      | ALOF30264100000006  | 836165 |
| 66LIGHT                         | AlphaTec® 66LIGHT, FREEFLOW, ENCAP, EN 943-1, CV VISOR, ATEX LENS, SOCK, ORANGE, SIZE 3XL      | ALOF30264100000007  | 836166 |
| <b>AlphaTec® TRAINER</b>        |                                                                                                |                     |        |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE S   | ATGVN02513000000002 | 836207 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE M   | ATGVN02513000000003 | 836208 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE L   | ATGVN02613000000004 | 836209 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE XL  | ATGVN02613000000005 | 836210 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE 2XL | ATGVN02613000000006 | 836211 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, NOVENT, SOCK, GREEN, SIZE 3XL | ATGVN02613000000007 | 836212 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE S     | ATGVN02523000000002 | 836213 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE M     | ATGVN02523000000003 | 836214 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE L     | ATGVN02623000000004 | 836215 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE XL    | ATGVN02623000000005 | 836216 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE 2XL   | ATGVN02623000000006 | 836217 |
| 66TRAIN                         | AlphaTec® 66TRAIN LVL A ENCAP TRAINING SUIT, VP1 VISOR, ANTIFOG, VENT, SOCK, GREEN, SIZE 3XL   | ATGVN02623000000007 | 836218 |

## ACCESSORIES AND SPARES

### COOLING VEST & OVERSOCK

|        |                                                |                    |        |
|--------|------------------------------------------------|--------------------|--------|
| 660000 | ActivArm® FLEXI COOLING VEST FR, ONE SIZE      | AA-CLVSTFR-ONESIZE | 846772 |
| 660000 | ActivArm® COOLING VEST SPARE ELEMENTS (16PC)   | AA-CLVST-PCM-16PC  | 846773 |
| 660000 | ActivArm® COOLING VEST SPARE ELEMENTS (1PC)    | AA-CLVST-PCM-1PC   | 846774 |
| 660000 | AlphaTec® SILICONE OVERSOCK, ONE SIZE (1 PAIR) | ARA-B-SIL-SOCK-UNI | 836262 |

### GLOVES

|        |                                               |                    |        |
|--------|-----------------------------------------------|--------------------|--------|
| 660000 | AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 8    | ARA-G-38628-VB-080 | 839564 |
| 660000 | AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 9    | ARA-G-38628-VB-090 | 839565 |
| 660000 | AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 10   | ARA-G-38628-VB-100 | 839566 |
| 660000 | AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 10.5 | ARA-G-38628-VB-105 | 839567 |
| 660000 | AlphaTec® 38-628 VITON/BUTYL GLOVES-SIZE 11   | ARA-G-38628-VB-110 | 839568 |
| 660000 | AlphaTec® 38-560 BUTYL GLOVES-SIZE 8          | ARA-G-38560-BU-080 | 836242 |
| 660000 | AlphaTec® 38-560 BUTYL GLOVES-SIZE 9          | ARA-G-38560-BU-090 | 836243 |
| 660000 | AlphaTec® 38-560 BUTYL GLOVES-SIZE 10         | ARA-G-38560-BU-100 | 836244 |
| 660000 | AlphaTec® 38-560 BUTYL GLOVES-SIZE 11         | ARA-G-38560-BU-110 | 836245 |

| Style                                                                      | Description                                     | MRPN               | SKU    |
|----------------------------------------------------------------------------|-------------------------------------------------|--------------------|--------|
| <b>GLOVES</b>                                                              |                                                 |                    |        |
| 660000                                                                     | AlphaTec® 02-100 INNER GLOVE+RING-SIZE 10       | ARA-G-02100-BAYR10 | 836249 |
| 660000                                                                     | AlphaTec® 02-100 INNER GLOVE+RING-SIZE 11       | ARA-G-02100-BAYR11 | 836250 |
| 660000                                                                     | ATEC GLOVE SET NFPA-SUIT SIZE M                 | ARA-G-NFPA-M       | 844027 |
| 660000                                                                     | ATEC GLOVE SET NFPA-SUIT SIZE L                 | ARA-G-NFPA-L       | 844028 |
| 660000                                                                     | ATEC GLOVE SET NFPA-SUIT SIZE XL-3XL            | ARA-G-NFPA-XL-3XL  | 844029 |
| 660000                                                                     | AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 8         | ARA-G-08354-NE-080 | 846775 |
| 660000                                                                     | AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 9         | ARA-G-08354-NE-090 | 846776 |
| 660000                                                                     | AlphaTec® 08-354 NEOPRENE GLOVES-SIZE 10        | ARA-G-08354-NE-100 | 846777 |
| 660000                                                                     | AlphaTec® 58-800 OVERGLOVE YELLOW CE & NFPA-11  | ARA-G-58800-AR-110 | 836248 |
| 660000                                                                     | AlphaTec® CRIO COLD PROTECTIVE GLOVE, SIZE 11   | ARA-G-OVR-CRYO-110 | 836252 |
| 660000                                                                     | INNER COTTON COMFORT GLOVE, 5PR, SIZE 10        | ARA-G-INER-COT-100 | 836251 |
| <b>VISOR ACCESSORIES</b>                                                   |                                                 |                    |        |
| 660000                                                                     | AlphaTec® HANDS-FREE VISOR LIGHT-VP1 VISOR      | ARA-V-LITE- VP1    | 836299 |
| 660000                                                                     | AlphaTec® HANDS-FREE VISOR LIGHT-CV VISOR       | ARA-V-LITE- XCV    | 836300 |
| 660000                                                                     | VISOR LIGHT ALTERNATIVE BATTERY POSITION KIT    | ARA-V-EXKIT-ALTBAT | 836301 |
| 660000                                                                     | TEAR-OFF/ATEX-LENS CV (10 PCS)                  | ARA-V-ATEX-XCV     | 836302 |
| 660000                                                                     | TEAR-OFF/ATEX-LENS VP1 (10 PCS)                 | ARA-V-ATEX-VP1     | 836303 |
| 660000                                                                     | AlphaTec® ANTI-FOG LENS, SUIT TYPE CV           | ARA-V-AFOG-LENS-CV | 836304 |
| 660000                                                                     | AlphaTec® ANTI-FOG LENS, SUIT TYPE VP1          | ARA-V-AFOG-LENS-VP | 836305 |
| <b>CONNECTION HOSES</b>                                                    |                                                 |                    |        |
| 660000                                                                     | CONHOSE-STR-CEJN341M + CEJN221F -50CM HOSE      | AR-VH-STR-341M     | 836294 |
| 660000                                                                     | CONHOSE-STR-CEJN345F + CEJN221F - 50CM HOSE     | AR-VH-STR-345F     | 836295 |
| 660000                                                                     | CONHOSE-STR-HANSENLL2-H16F+CEJN221F-50CM HOSE   | AR-VH-STR-HLL2H16F | 836296 |
| 660000                                                                     | CONHOSE-T-CEJN344M/F-TPCE + 221F-50CM HOSE      | AR-VH-T-344M-344F  | 836297 |
| 660000                                                                     | CONHOSE-T-CEJN344M/345F-TPCE + 221F-50CM HOSE   | AR-VH-T-344M-345F  | 836298 |
| <b>STORAGE</b>                                                             |                                                 |                    |        |
| 660000                                                                     | AlphaTec® BAG-LARGE-BLACK (FOR GASTIGHT SUITS)  | ARA-LGEBAG-ATBLK   | 836315 |
| 660000                                                                     | AlphaTec® SUIT HANGER TYPE CV, VP1 (STRAIGHT)   | ARA-HANGER-ENCAP   | 836316 |
| 660000                                                                     | AlphaTec® SUIT HANGER TYPE T                    | ARA-HANGER-TYPET   | 836317 |
| <b>TEST EQUIPMENT</b>                                                      |                                                 |                    |        |
| 660000                                                                     | PRESSURE TEST KIT-ALL STYLES(CV/VP1/F-FLOW/T)   | AR-SR-PTK-ALL-GT   | 836281 |
| 660000                                                                     | PRESSURE TEST KIT ENCAP SUITS (VP1/CV)          | AR-SR-PTK-ENCAP    | 836282 |
| 660000                                                                     | PRESSURE TEST KIT NON-ENCAP SUITS-TYPE T ONLY   | AR-SR-PTK-TYPE-T   | 836283 |
| 660000                                                                     | UPGRADE KIT FOR PRESSURE TEST-ALL SUIT TYPES    | AR-SR-PT-UG-ALL-GT | 836285 |
| 660000                                                                     | UPGRADE KIT FOR PRESSURE TEST-TYPE CV/VP1       | AR-SR-PT-UG-ENCAP  | 836286 |
| 660000                                                                     | UPGRADE KIT FOR PRESSURE TEST TYPE T SUIT       | AR-SR-PT-UG-TYPE-T | 836287 |
| 660000                                                                     | RUBBER SEALING PLUG-TRELLCHEM® EXHAUST VALVE    | AR-SR-EXV-PLG-TREL | 836288 |
| 660000                                                                     | SEALING PLUG-ALPHATEC®/MICROCHEM™ EXHAUST VALVE | AR-SR-EXV-PLG-ATEC | 836289 |
| 660000                                                                     | PRESSURE TEST FACE PLATE-NON-ENCAP TYPE T       | AR-SR-PT-FCE-PLATE | 836284 |
| 660000                                                                     | INFLATION ADAPTER FOR TRELLCHEM® EXHAUST VALVE  | AR-SR-EXV-INF-TREL | 836290 |
| 660000                                                                     | AlphaTec® PT ADAPTOR TO FIT INFLATION ADAPTOR   | AR-SR-EXV-PTA-ATEC | 836291 |
| 660000                                                                     | AlphaTec® UNIVERSAL INFLATION ADAPTER KIT       | AR-SR-PT-ATEC-UNI  | 846791 |
| <b>BASIC MAINTENANCE &amp; REPAIR - BAYONET CUFF SERVICE &amp; ZIP WAX</b> |                                                 |                    |        |
| 660000                                                                     | AlphaTec® ZIPPER WAX KIT                        | AR-SR-ZIP-WAX-KIT  | 836318 |
| 660000                                                                     | AlphaTec® RUBBER CUFF ASSEMBLY ON RING-1PC      | AR-SR-BAY-RUB-CUF  | 836253 |
| 660000                                                                     | BAYONET CUFF VITON O-RING-SLEEVE SIDE (10PK)    | AR-SR-BAY-SL-ORING | 836258 |

| Style                                                                      | Description                                    | MRPN               | SKU    |
|----------------------------------------------------------------------------|------------------------------------------------|--------------------|--------|
| <b>BASIC MAINTENANCE &amp; REPAIR - BAYONET CUFF SERVICE &amp; ZIP WAX</b> |                                                |                    |        |
| 660000                                                                     | BAYONET CUFF VITON O-RING-GLOVE SIDE (10PK)    | AR-SR-BAY-GL-ORING | 836259 |
| 660000                                                                     | BAYONET CUFF MOLYCOTE O-RING GREASE 10G (5PK)  | AR-SR-O-RING-GRS-5 | 836260 |
| 660000                                                                     | BAYONET CUFF RED LOCK PINS (10PK)              | AR-SR-BAY-LOCK-PIN | 836261 |
| <b>EXHALATION VALVES &amp; MEMBRANES &amp; TOOLS</b>                       |                                                |                    |        |
| 660000                                                                     | AlphaTec® EXHAUST VALVE COMPLETE REPLACEMENT   | AR-SR-EXVLV-ATEC   | 836311 |
| 660000                                                                     | AlphaTec® EXHAUST VALVE, MEMBRANE ONLY, 5PCS   | AR-SR-EXVLV-MEM-AT | 836312 |
| 660000                                                                     | 3-PIN TOOL REPLACE ALPHATEC EXHALATION VALVE*  | AR-SR-EXVTOOL-ATEC | 836293 |
| 660000                                                                     | AlphaTec® EXH VALVE COVER REMOVE PALETTE KNIFE | AR-SR-EXVLV-PALKNF | 846790 |
| 660000                                                                     | TRELLCHEM® EXHAUST VALVE COMPLETE REPLACEMENT  | AR-SR-EXVLV-TREL   | 836310 |
| 660000                                                                     | TRELLCHEM® EXHALATION VALVE SPANNER            | AR-SR-EXVTOOL-TREL | 836292 |
| <b>REGULATION VALVE SERVICE</b>                                            |                                                |                    |        |
| 660000                                                                     | REGULATING VALVE/PASS THRU SERVICE KIT-(1PC)   | AR-REG-SVCKIT-1PC  | 846778 |
| 660000                                                                     | REGULATING VALVE/PASS THRU SERVICE KIT-(10PC)  | AR-REG-SVCKIT-10PC | 846779 |
| <b>REPAIR KITS &amp; REPAIR PATCHES</b>                                    |                                                |                    |        |
| 660000                                                                     | REPAIR KIT AlphaTec® EVO (RED)                 | AR-SR-PATKIT-EVO-R | 836263 |
| 660000                                                                     | REPAIR KIT AlphaTec® FLASH (ORANGE)            | AR-SR-PATKIT-VPF-O | 836264 |
| 660000                                                                     | REPAIR KIT AlphaTec® VPS (YELLOW)              | AR-SR-PATKIT-VPS-Y | 836265 |
| 660000                                                                     | REPAIR KIT AlphaTec® SUPER (YELLOW)            | AR-SR-PATKIT-SUP-Y | 836266 |
| 660000                                                                     | REPAIR KIT AlphaTec® LIGHT/BSL4 (ORANGE)       | AR-SR-PATKIT-LGT-O | 836267 |
| 660000                                                                     | REPAIR KIT AlphaTec® TRAINER/TRELLTRAIN(GREEN) | AR-SR-PATKIT-TRN-G | 836268 |
| 660000                                                                     | REPAIR KIT 66-300 SPLASH 600-RED               | AR-SR-REPKT-630-RE | 836269 |
| 660000                                                                     | REPAIR KIT 66-310 SPLASH 600-FLUORESCENTYELLOW | AR-SR-REPKT-631-FY | 836270 |
| 660000                                                                     | REPAIR KIT 66-320 SPLASH 900/2000-YELLOWGREEN  | AR-SR-REPKT-632-YG | 836271 |
| 660000                                                                     | REPAIR PATCHES AlphaTec® EVO RED (24 PATCHES)  | AR-SR-PATCH-EVO-R  | 836272 |
| 660000                                                                     | REPAIR PATCHES AlphaTec® FLASH (24 PATCHES)    | AR-SR-PATCH-VPF-O  | 836273 |
| 660000                                                                     | REPAIR PATCHES AlphaTec® VPS (24 PATCHES)      | AR-SR-PATCH-VPS-Y  | 836274 |
| 660000                                                                     | REPAIR PATCHES AlphaTec® SUPER (24 PATCHES)    | AR-SR-PATCH-SUP-Y  | 836275 |
| 660000                                                                     | REPAIR PATCHES AlphaTec® LIGHT (24 PATCHES)    | AR-SR-PATCH-LGT-O  | 836276 |
| <b>ADHESIVE, HARDNER &amp; SOLVENT</b>                                     |                                                |                    |        |
| 660000                                                                     | GLUE FOR PATCHES & TYPE T FACE SEALS (125 ML)  | AR-SR-TREL-RUB-ADH | 836277 |
| 660000                                                                     | DESMODUR RFE HARDENER FOR GLUE (8ML)           | AR-SR-HARDNER-RUB  | 836278 |
| 660000                                                                     | AlphaTec® HEPTANE SOLVENT (250ML)              | AR-SR-SOLV-HEPTANE | 836279 |
| 660000                                                                     | BOSTIK GLUE FOR LIGHT PVC SUITS(35ML TUBE)     | AR-SR-BSTK-PVC-ADH | 836280 |
| <b>ADVANCED REPAIR &amp; MAINTENANCE - VISORS &amp; FACE SEAL</b>          |                                                |                    |        |
| 660000                                                                     | AlphaTec® REPLACEMENT VISOR, TYPE CV           | AR-SR-V-REPL-XCV   | 836306 |
| 660000                                                                     | AlphaTec® REPLACEMENT VISOR, TYPE VP1          | AR-SR-V-REPL-VP1   | 836307 |
| 660000                                                                     | REPLACEMENT RUBBER FACE SEAL TYPE T SUITS      | AR-SR-RFS-TYPE-T   | 836309 |
| <b>TAPES FOR VISOR &amp; FACE SEAL REPLACEMENT</b>                         |                                                |                    |        |
| 660000                                                                     | INSIDE SEAL TAPE-ORANGE-25MM WIDE-40M/ROLL     | AR-SR-INSEALTPE-OR | 846780 |
| 660000                                                                     | EVO-OUTSIDE TAPE-RED-17 MM-25M/ROLL            | AR-SR-EVO-TAPE-RED | 846781 |
| 660000                                                                     | EVO-OUTER REINFORCE TAPE-VISOR EDGE-RED-1PC    | AR-SR-EVO-REINFT-R | 846782 |
| 660000                                                                     | FLASH-OUTSIDE TAPE-ORANGE-17MM-25M/ROLL        | AR-SR-FLSH-TAPE-OR | 846783 |
| 660000                                                                     | FLASH-OUTER REINFORCE TAPE-VISOR EDGE-OR-1PC   | AR-SR-FL-REINFT-OR | 846784 |
| 660000                                                                     | SUPER-OUTSIDE TAPE-YELLOW-15 MM-25M/ROLL       | AR-SR-SUPR-TAPE-YE | 846785 |

| Style                                              | Description                                   | MRPN               | SKU    |
|----------------------------------------------------|-----------------------------------------------|--------------------|--------|
| <b>TAPES FOR VISOR &amp; FACE SEAL REPLACEMENT</b> |                                               |                    |        |
| 660000                                             | SUPER-OUTER REINFORCE TAPE-VISOR EDGE-YE-1PC  | AR-SR-SUP-REINFT-Y | 846786 |
| <b>VISOR &amp; FACE SEAL REPLACEMENT TOOLS</b>     |                                               |                    |        |
| 660000                                             | ROLLER 4MM-TOOL-VISOR & FACE SEAL REPLACE     | AR-SR-4MM-ROLLER   | 846787 |
| 660000                                             | ROLLER 12MM-TOOL-VISOR & FACE SEAL REPLACE    | AR-SR-12MM-ROLLER  | 846788 |
| 660000                                             | NATURAL RUBBER- FOR "ERASING" GLUE            | AR-SR-GLUE-ERASER  | 846789 |
| <b>AlphaTec® BAYONET RING SYSTEM</b>               |                                               |                    |        |
| 660000                                             | BAYONET RING COMPLETE WITH RUBBER CUFF-1 PR   | AR-SR-BR-IN-CUFSET | 836254 |
| 660000                                             | BAYONET RING COMPLETE NO RUBBER CUFF-1 PR     | AR-SR-BR-EX-CUFSET | 836255 |
| 660000                                             | BAYONET CUFF SYSTEM GLOVE RING-1PC            | AR-SR-BR-GLV-RING  | 836256 |
| 660000                                             | BAYONET CUFF SYSTEM SLEEVE RING-1PC           | AR-SR-BR-SLV-RING  | 836257 |
| 660000                                             | BAYONET CUFF SYSTEM INNER RING-BLACK-1PC      | AR-SR-BAY-IN-RING  | 846792 |
| <b>BOOT REPLACEMENT</b>                            |                                               |                    |        |
| 660000                                             | OVAL CONNECT RING BLACK NITRILE RUBBER BOOTS  | AR-SR-NTRLEBT-RING | 846793 |
| 660000                                             | OVAL CONNECT RING YELLOW PVC BOOTS            | AR-SR-PVCBOOT-RING | 846794 |
| 660000                                             | LIGAREX BAND FOR ATTACHING BOOTS (5METRES)    | AR-SR-LIGAREX-BAND | 846795 |
| 660000                                             | LIGAREX CLIP FOR LIGAREX BAND                 | AR-SR-LIGAREX-CLIP | 846796 |
| 660000                                             | PVC TAPE, BLACK, 25 MM, 20 M/ROLL             | AR-SR-PVC-TAPE-BLK | 846797 |
| 660000                                             | LIGAREX TOOL TO TIGHTEN LIGAREX BAND          | AR-SR-LIGAREX-TOOL | 846798 |
| <b>AlphaTec® REGULATING VALVE</b>                  |                                               |                    |        |
| 660000                                             | REGULATING VENTILATION VALVE SUIT TYPE T      | AR-REG-VENT-TYPE-T | 836313 |
| 660000                                             | REGULATING VENTILATION VALVE SUIT TYPE CV/VP1 | AR-REG-VENT-CV-VP1 | 836314 |



### **Export control for Dual-use Products**

Products classified as Military or Dual-use items, according to EU Regulation 2021/821, requires an Export Licence/ authorisation to leave EU customs territory, *i.e. export to countries outside EU requires an Export licence.*

Exception is made for export to two groups of countries:

- Australia, Canada, Japan, Lichtenstein, New Zealand, Norway, Switzerland, United Kingdom and USA (products listed below).
- Argentina, Croatia, Iceland, South Africa, South Korea and Turkey (AlphaTec® Freeflow products excluded).

### **The following AlphaTec® products are classified as Dual-use items:**

AlphaTec® EVO - all models  
AlphaTec® FLASH - all models  
AlphaTec® SUPER Freeflow  
AlphaTec® LIGHT Freeflow  
AlphaTec® 38-628 Viton™ Butyl Gloves  
AlphaTec® 38-560 Butyl Gloves

**Please contact APS Customer Service** before placing an order for the above listed products, and they will start the process to apply for an Export licence. To be able to apply for an Export licence Customer Service needs the following information:

- End User Certificate
- Name of product
- Quantity

Ansell does not authorize re-export of the products from their delivery location to a third country, as such transactions could implicate export controls and other regulatory or legal restrictions.

For more information, contact your Ansell representative or visit [www.ansell.com](http://www.ansell.com)

**North America**

Ansell Healthcare Products LLC  
111 Wood Avenue South  
Suite 210  
Iselin, NJ 08830, USA  
+1 800 800 0444  
+1 800 800 0445

**Canada**

105 Lauder  
Cowansville, QC  
J2K 2K8, Canada  
+1 800 363 8340



Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of PPE and gloves for a specific application.

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates, except as noted. US Patented and US and non-US Patents Pending: [www.ansell.com/patentmarking](http://www.ansell.com/patentmarking)  
© 2022 Ansell Limited. All Rights Reserved.

**PRODUCT DISCLAIMER AND WARNING:** Products containing natural rubber latex may cause allergic reactions in some individuals. Products that provide "cut resistance" and "cut protection" or "puncture resistance" and "puncture protection" do not completely prevent or eliminate the potential for cuts or punctures, and are not intended or tested to provide protection against powered blades, serrated or other sharp or rotating equipment. Products that provide "abrasion resistance" or "abrasion protection" do not completely prevent or eliminate the potential for abrasion-related injuries. Products that provide "resistance" to oil or grease or which are "oil repellent" do not completely prevent or eliminate the potential for oil or liquid penetration or absorption. Products that provide "snag resistance" or "snag protection" do not completely prevent or eliminate the potential for snags or friction-related injuries. Products that provide protection against sparks or flame are not "fire-proof" and do not completely prevent or eliminate the potential for burns or associated injuries. Products that provide protection or resistance against heat or cold are not intended for use in extreme temperatures - use only as specified. Products that provide "chemical resistance" or "chemical protection" do not completely prevent or eliminate the potential for injury due to chemical exposure, and where specific chemical permeation times are provided, they are based on laboratory environments that may differ from a user's worksite. Users should test chemical protective products against the particular environments and chemicals where the product is to be used. Users are encouraged to always use caution and care when handling sharp or abrasive materials, chemicals, or other hazardous or dangerous substances. Any information or data provided is based upon Ansell's current knowledge and understanding of the subject matter, and is offered solely as a possible suggestion for use in making your own decisions or product choices. Product users should conduct all appropriate testing or other evaluations to determine the suitability of Ansell products for a particular purpose or use within a particular environment. Ansell may revise this information as new information, knowledge or experience becomes available. ANSELL DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. According to current OSHA regulations, the employer has the final responsibility for selecting gloves and other personal protective equipment.