

VIKING

HAZTECH

Lightweight, durable PU dry suit

**A lightweight, robust suit
for diving in hazardous
water conditions.**



Industries

- Emergency Medical Services
- Law Enforcement
- Fire and Rescue
- Shipping
- Defense
- Diving


Applications

- Underwater Inspection
- Navy Diving
- Special Forces Diving
- Inspection Diving
- Underwater Search and Recovery
- Flooding applications

KEY FEATURES & BENEFITS

- Lightweight and robust material
- Ideal for warm water & warm climates
- Helps alleviate the issue of heat stress
- Suitable for cold water diving
- Suitable for contaminated water diving operations
- High Frequency welded seams for additional strength and safety.
- Smooth, easy to clean surface after diving in contaminated waters
- Tested for flex cracking after > 200 flexes down to -40°C
- Hazmat (chemical protection) and BIO (protection against infective agents) approvals

Seam Diagram



Performance Standards



EN 14225-2:2017 HZ Chemical Resistance

0598

Product Information

| Product Information | |
|---------------------------|--|
| Color | Black, Red |
| Country Of Origin | Lithuania |
| Product Material | TPU (thermoplastic polyurethane), single coated onto a knitted nylon fabric. |
| Product Reference | HAZTECH |
| Reinforcements | Black welded reinforcements applied to shoulder area and elbows. Embossed welded knee pads. |
| Seam Type | Welded and Taped |
| Available Sizes | S, M, L, XL, 2XL, 3XL |
| Standards Overview | <ul style="list-style-type: none">• EN 14225-2:2017• HZ chemical approval• BIO micro-organism approval• Tested for flex cracking according to EN ISO 7854 |

Suit Components & Accessories

| Suit Components and Accessories | |
|------------------------------------|--|
| Design Features | Rear entry. |
| Yoke Options | A full range of helmet yokes is available, such as: SL 27/37, Desco, AH3, Genesis, Gorski, Deepsea and Dräger. |
| Neck Seal | Fitted with a Surveyor latex neck seal as standard. Option: Bellows latex neck seal; VIKING™ Quick Neck system, which allows for quick changing of broken seals. |
| Cuffs | Latex PRO cuffs are fitted as standard. Options: Bellows latex cuffs; Conical cuffs. In order to make the suit completely waterproof, it is possible to fit a rubber cuff ring system, alternatively the VIKING™ Bayonet Ring System. Both systems make the fitment of latex gloves or mittens possible. |
| Footwear And Attachments | Rubber coated 5 mm neoprene boots. The boots feature a non-slip outsole and a heel fin retainer. Option: Nitrile safety boots. |
| Zipper | Red suits: Medium Duty (MD) magnetic PU zipper; 90 cm long; welded. Black suits: Medium Duty (MD) non-magnetic PU zipper; 90 cm long; welded. The zipper is placed across the shoulders. |
| Included With Each Delivery | Each suit comes supplied with suspenders, carry bag, user manual, repair kit and zip care materials. |

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region
Ansell Healthcare Europe NV
T: +32 (0) 2 528 74 00

North America Region
Ansell Healthcare Products LLC
T: +1 800 800 0444

Australia
Ansell Limited
T: +61 1800 337 041

Asia Pacific Region
Ansell Global Trading Center
T: +603 8310 6688

Latin America & Caribbean Region
Ansell Commercial Mexico S.A. de C.V.
T: +52 442 248 1544 / 248 3133

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending; www.ansell.com/patentmarking © 2025 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

