

STANLEY®



CO23 UNDERWATER CUT-OFF SAW

The STANLEY® CO23 Underwater Cut-Off Saw is a compact, hydraulic-powered saw designed for underwater and topside cutting of metal, concrete, rock, masonry, and coral. Featuring a high-torque gear motor and a 10-inch blade capacity for abrasive or diamond wheels with a 1-inch arbor, it delivers reliable cutting performance in demanding environments. Its durable construction and hi-visibility yellow finish ensure safe, efficient use in low-visibility conditions, making it ideal for commercial diving, marine construction, and salvage operations.

CO23 UNDERWATER CUT-OFF SAW

FEATURES

- Integral Stanley Hyrevz gear motor produces high torque
- Direct drive motor
- Stainless Steel spool and fasteners
- Adjustable shoe for precise cuts
- Interlocking safety trigger
- Cast aluminum handle and guard for durability
- Counter-clockwise rotation
- Wide flow range

SPECIFICATIONS

CAPACITY	10 IN. / 25.4 CM WHEEL
PERFORMANCE	3275 RPM @ 15 GPM
ARBOR	1 IN. / 2.5 CM
CIRCUIT TYPE	OPEN CENTER
FLOW RANGE	10 - 15 GPM / 38 - 57 LPM
OPTIMUM FLOW	15 GPM / 57 LPM
WORKING PRESSURE	1500 - 2000 PSI / 105 - 140 BAR
FULL RELIEF SETTING	2250 PSI / 155 BAR
WEIGHT	25 LBS / 11.3 KG
LENGTH	20.5 IN. / 52 CM
WIDTH	11 IN. / 28 CM
CONNECTION	ISO 16028 FLAT FACE COUPLER - SIZE 8
HOSE WHIPS	YES

ORDER INFORMATION

PART NO.	DESCRIPTION
CO23341	CUT-OFF SAW, UNDERWATER, 10 IN. CAPACITY WITH 1 IN. ARBOR, LESS COUPLERS

ACCESSORIES

PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
03971	FLUSH-FACE COUPLING SET, 3/8" NPT	04117	10" / 25.4 CM DIAMETER, 1" ARBOR, ABRASIVE BLADE FOR ALUMINUM AND METAL
03974	FLUSH-FACE COUPLING SET, 1/2" NPT	31848	DUAL HOSE, 50' X 1/2", WITH COUPLERS
06830	HOSE WHIP 18" LONG, -8 SAE X 1/2" NPT	31972	DUAL HOSE, 25' X 1/2", WITH COUPLERS
03694	10" / 25.4 CM DIAMETER, 1" ARBOR, DIAMOND BLADE FOR CONCRETE	58633	TWINNED HOSE, 25' X 1/2", WITH COUPLERS
04116	10" / 25.4 CM DIAMETER, 1" ARBOR, ABRASIVE BLADE FOR CONCRETE	58634	TWINNED HOSE, 50' X 1/2", WITH COUPLERS

When hydraulic hose exceeds 100' (30.4 m) in length, increase I.D. of both pressure and return hose. For more information, consult STANLEY Hydraulic Tools.

STANLEY

3810 SE Naef Road // Milwaukie, OR 97267 // 833-723-1843 // www.IndustrialToolsAndAttachments.com

2025.08.07